

Sound & Communications



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
4. Audio Amplifiers			
<i>Audio Amplifiers</i>			
Phoenix Gold	AMP200 AudioSource 80 Watt 2 Channel Power Amplifier	PH-AMP-200	
Phoenix Gold	AMP300 AudioSource 150 Watt 2 Channel Power Amplifier	PH-AMP-300	
5. Voice Systems			
<i>Voice Evacuation Systems</i>			
Millbank	VA4M Comlete pre-built : Four zone system, 250W per zone, c/w paging microphone, fire microphone, monitored A+B speaker circuits, battery backup. Fully built and tested.	M7-VA4M	
Millbank	VA10M Comlete pre-built : Ten zone system, 250W per zone, c/w paging microphone, fire microphone, monitored A+B speaker circuits, battery backup. Fully built and tested.	M7-VA10M	
C-Tec	VA403 Master AVAC Dual 60W amplifier, charger and PSU . Incl alarm interface, mic, paging	CT-VA403	
C-Tec	VA403H Master AVAC Dual 60W amplifier, charger and PSU. Also comes with 'hotswap standby amp For use with VA403	CT-VA403H	
C-Tec	VA402 Slave AVAC dual 60W amplifier, charger and PSU	CT-VA402	
C-Tec	VA402H Slave AVAC dual 60W amplifier, charger and PSU. Also comes with 'hotswap standby amp use with VA402 For	CT-VA402H	
C-Tec	VA405 FM1 Firemans microphone (1 max per system) For use with VA402 / VA403 systems	CT-VA405	
C-Tec	VA406 Line level paging microphone (1 max per system) For use with VA402 / VA403 systems	CT-VA406	

Sound & Communications







PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
PA Amplifiers			
Millbank	XK30 30W wall mount amplifier, output 8ohm/100V, 230Vac	M7-XK30	
Millbank	XKS120 120W slave amplifier. 2 line level prioritised inputs, output 8ohm / 100V, 230 Vac or 24Vdc supply	M7-XKS120	
Millbank	XK120 120W mixer amplifier. 5 universal prioritised inputs, output 8ohm / 100V, 230Vac or 24Vdc supply.	M7-XK120	
Millbank	XKS240 240W slave amplifier. 2 line level prioritised inputs, output 8ohm / 100V, 230 Vac or 24Vdc supply	M7-XKS240	
Millbank	XK240 240W mixer amplifier. 5 universal prioritised inputs, output 8ohm / 100V, 230Vac or 24Vdc supply.	M7-XK240	
Megaphones			
Millbank	M116 Megaphone 10W hand held megaphone, white colour, requires 8 'AA' batteries (not included)	M7-MEGA10-H	
NEXT TWO	ER-55 Hand held megaphone 25W rating c/w volume control and shoulder strap	MC-ER-55	
Accessories / Volume Controls			
Millbank	MVC100R 100W volume control with volume restoration relay	M7-MVC100R	
Millbank	Lead-50CM-MF 50cm Male to Female XLR-XLR Screened Cable	M7-L-50-MF	
Millbank	Lead-100CM-MF 100cm Male to Female XLR-XLR Screened Cable	M7-L-100-MF	
Millbank	Lead-200CM-MF 200cm Male to Female XLR-XLR Screened Cable	M7-L-200-MF	

Sound & Communications



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
Accessories / Digital Audio Message Store			
Millbank	DVS8 Digital store for 8 remotely triggered messages. Message format 16 bit stored on Compact Flash card. 24Vdc supply.	M7-DVS8	
Accessories / Microphones and Ancillary Equipment			
Millbank	DPM900 Single zone desk mount paging microphone. Metal base. Response 150Hz to 10kHz.	M7-DPM900	
Millbank	DPM904 Four zone desk mount paging microphone. Metal base. Response 150Hz to 10kHz.	M7-DPM904	
Millbank	DPM908 Eight zone desk mount paging microphone. Metal base. Response 150Hz to 10kHz.	M7-DPM908	
Millbank	DPM908/ZLS800 Eight zone desk mount paging microphone. Metal base. Response 150Hz to 10kHz. Includes ZLS800 zone select module.	M7-DPM908ZLS	
Millbank	LR900 Level raising amplifier for DPM microphones. Fits in microphone base for long microphone cable lengths.	M7-LR900	
Millbank	ZLS800 8 zone selector module	M7-ZLS800	
Millbank	XK-STG & ACO11 20kHz tone generator for XK240 plus amplifier/line surveillance module	M7-XK-TONE/G	
C-Tec	LOADMASTER Loudspeaker line tester	CT-LOADMASTER	