










PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
BOX CAMERAS MONOCHROME			
Honeywell	Camera, Monochrome 1/3" 380 lines, 0.1 lux, backlight 12VDC/24VAC SPS, CS/C, DD/AI	HCM404EX	
Honeywell	Camera, Monochrome 1/3" 380 lines, 0.1 lux, backlight, 240VAC, CS/C, DD/AI	HCM405EX	
GANZ	1/3" B & W 380 TVL 0.04 Lux C/CS-M 230VAC	ZC-F11C3	
GANZ	1/3" B & W 380 TVL 0.04 Lux C/CS-M 12VDC/24VAC	ZC-F11C4	
Honeywell	Camera, Monochrome 1/3" 580 lines, 0.2 lux, backlight, 12VDC/24VAC SPS, 52dB, CS/C, DD/AI	HCM584EX	
Honeywell	Camera, Monochrome 1/3" 580 lines, 0.2 lux, backlight, 240VAC SPS, 52dB, CS/C, DD/AI	HCM585EX	
GANZ	1/3" B & W 570 TVL 0.08 Lux C/CS-M 230VAC	ZC-F11CH3	
GANZ	1/3" B & W 570 TVL 0.08 Lux C/CS-M 12VDC/24VAC	ZC-F11CH4	
Honeywell	Camera, Monochrome 1/3" 570 lines, 0.1 lux, 8 windows, backlight, 98-260VAC, 50dB, CS/C, DD/AI, DSP, DSP, PWI, DCT	ACM575X	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
BOX CAMERAS COLOUR			
AV TECH	1/3" SONY Color CCD Camera (DC Type) 350TVL, (0.3 lux / F 1.2) with built in mic	AVC561R	
AV TECH	1/3" SONY Color CCD Camera (DC Type) 480TVL, (0.3 lux / F 1.2) , with built in mic	AVC568	
SAMSUNG	1/3" CCD, COLOUR, 330TVL BLC, 0.3LUX, BACK FOCUS, 24VAC	SDC-243PA	
SAMSUNG	1/3" CCD, COLOUR, 330TVL BLC, 0.3LUX, BACK FOCUS, 12VDC	SDC-243PD	
SAMSUNG	1/3" CCD, COLOUR 470TVL BLC, 0.5LUX, BACK FOCUS, 24VAC	SDC-313PA	
SAMSUNG	1/3" CCD, COLOUR, 470TVL BLC, 0.5LUX, BACK FOCUS, 12VDC	SDC-313PD	
SANYO	1/4", 350 lines, 0.3 lux, backlight 12VDC/24VAC, CS/C, EI/DD/AI, with PSU	VCC4115PA	
Honeywell	Camera, Colour 1/3", 330 lines 0.66 lux, backlight, 12VDC/24VAC SPS, 46dB, AWB	HCC334EX	
Honeywell	Camera, Colour 1/3", 330 lines 0.66 lux, backlight, 240VAC, 46dB, AWB	HCC335EX	
SANYO	1/4", 350 lines, 0.3 lux, backlight 230VAC, CS/C, EI/DD/AI, int sync/L-lock	VCC4110P	
SAMSUNG	1/3" Hyper-HAD Colour 410K pixels 520TVL(Color),520TVL(B/W), SSSNR, Sens-up,S/N>50dB, BLC, Video/DC/ESC Iris, Line Lock, 0.3 Lux (Colour)@ F1.2,0.1 lux mono, AC24V/DC12V Dual	SDC-415P	
JVC	1/3", 535 lines, 0.7 lux, backlight 12VDC/24VAC, CS/C, DSP, EI/DD/AI, AGC, AWB, int sync/l-lock	TK-C920E	
JVC	1/3", 535 lines, 0.7 lux, backlight 220-240V AC, CS/C, DSP, EI/DD/AI, AGC, AWB, int sync/l-lock	TK-C921EG	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS





Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

BOX CAMERAS COLOUR

Honeywell	Camera, Colour 1/3", 480 lines, 0.55 lux, backlight 240VAC, 50dB, AWB, DD/AI	HCC495EX	
Honeywell	Camera, Colour 1/3", 480 lines, 0.55 lux, backlight 12VDC/24VAC SPS, 50dB, AWB	HCC494EX	
SANYO	Cube camera, 1/3", 480 lines, 1.4 lux, backlight 12VDC/24VAC, CS/C, DSP, EI/DD	VCC5775P	
SANYO	1/3", 520 lines, 1.0 lux, backlight 12VDC, CS/C, DSP, EI/DD/AI, S-VHS, 8 mode elec shutter, with PSU	VCC6585	
SANYO	1/3", 520 lines, 1.0 lux, backlight 24VAC, CS/C, DSP, EI/DD/AI, S-VHS, 8 mode elec shutter	VCC6585P	
SANYO	1/3", 520 lines, 1.0 lux, backlight 230VAC, CS/C, DSP, EI/DD/AI, S-VHS, 8 mode elec shutter	VCC6570P	
PECAN	Box colour 1/3" PAL 450TVL 1.0 Lux C and CS lens mount (image shown with computer lens)	SC5712S	
Honeywell	Camera, Colour 1/3", 330 lines, 1.0 lux 4 windows, backlight, 98-260VAC SPS, CS/C, EI/DD/AI, DSP, 48dB, AWB, DCT	ACC335X	
Honeywell	Camera, Colour 1/3", 480 lines, 1.0 lux backlight, 98-260VAC, CS/C, EI/DD/AI, DSP, 48dB, AWB, 8 windows, NVT compatible, PWI, SVHS, DCT	ACCM485TPX	

BOX CAMERAS DAY/NIGHT

GANZ	1/3" Colour/Mono (Day/Night) 480 TVL DSP, serial port, OSD, CS-Mount 12VDC/24VAC	ZC-NH403P	
Rainbow CCTV	1/3" day/night camera, 460TVL BLC, EI, Sony ExView CCD, with IR notch filter, BackFocus Mode for easy back-focusing, compact body, 0.05 lux, 12/24V	DNL46DX	
PECAN	Box colour 1/3" PAL 450TVL 0.85 Lux C and CS lens mount Sony Ex-View CCD (image shown with computer lens)	SC5712SX	
Honeywell	Camera, Colour / mono, 470 lines, 0.5 / 0.01 lux 12VDC/24VAC CS/C, EI/DD/AI, DSP, AWB, PWI, RS485	CC-PH22SDN	















PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
BOX CAMERAS DAY/NIGHT			
Honeywell	Camera, Colour / mono, 470 lines, 0.5 / 0.01 lux 240VAC, CS/C, EI/DD/AI, DSP, AWB, PWI, RS485	CC-PH23DN	
	1/3" Hyper-HAD Colour 410K pixels 480TVL(Color),520TVL(B/W), SSNR, S/N>50dB, BLC, Video/DC/ESC Iris, Line Lock, 0.3 Lux (Colour)@ F1.2, AC24V/DC12V Dual	SDN-500P	
	Box True Day/Night 450TVL / 560TVL 1.0 / 0.4 Lux C and CS lens mount	SC5712ST	
	Box WideDynamicRange 450TVL / 560TVL 1.0 / 0.4 Lux C and CS lens mount	SC8012S	
SANYO	1/3", 520 lines, 0.3 lux, backlight 12VDC, CS/C, DSP, EI/DD/AI, S-VHS, 7 mode elec shutter, with PSU	VCC6592P	
SANYO	1/3", 520 lines, 0.3 lux, backlight 24VAC, CS/C, DSP, EI/DD/AI, S-VHS, 7 mode elec shutter	VCC6594P	
	1/3" Ex-View Colour 410K pixels 480TVL(Color),520TVL(B/W),More than 48dB, BLC, Video/DC/ESC Iris, Line Lock, 0.01Lux (B&W) 0.5Lux(Color) OSD, M/D, 400g, 55x57x135mm, AC24V/DC12V Dual	SDN-520P	
	1/3" Ex-View Colour 410K pixels 480TVL(Color),520TVL(B/W),More than 48dB, BLC, Video/DC/ESC Iris, Line Lock, 0.01Lux (B&W) 0.5Lux(Color) OSD, M/D, 400g, 55x57x135mm, AC230V	SDN-520PH	
	Box WideDynamicRange TDN 450TVL / 560TVL 1.0 / 0.4 Lux C and CS lens mount	SC8012ST	
GANZ	1/3" Colour/Mono (Day/Night) 480 TVL 0.3 Lux (Colour) 0.03 Lux (Mono) C/CS-M 12VDC/24VAC	ZC-NH255P	
	1/3" Vertical Double IT CCD, 410K pixels 500TVL(Color), 550TVL(B/W), WDR,MD,Line Lock, Day/Night, Sens-up, Color:0.8Lux, B/W:0.01Lux, Privacy Image, Timer, AC24V/DC12V Dual Volt	SHC-721AP	
	1/3" Vertical Double IT CCD, 410K pixels 500TVL(Color), 550TVL(B/W), WDR,MD,Line Lock,Day/Night, Sens-up, Color:0.8Lux, B/W:0.01Lux, Privacy Image, Timer, AC230V High Voltage,S	SHC-721APH	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
BOX CAMERAS DAY/NIGHT			
Honeywell	Camera, Colour, Digital Pixim System Wide Dynamic, 1/3", 480TVL, 0,4lux, 12/24AV	HCCWD484X	
GANZ	1/4" Colour/Mono (Day Night) Varifocal MiniDome Camera 480 TVL 4.0 - 7.5mm 0.09 Lux (Mono) 0.28 Lux (Colour) 12VDC/24VAC	ZC-DN3048PHA	
SANYO	1/3", HR, 520 lines, 0.03 lux, backlight 12VDC, CS/C, EI/DD/AI, incl PSU	VCC4592P	
SANYO	1/3", HR, 520 lines, 0.03 lux, backlight 24VAC, CS/C, EI/DD/AI	VCC4594P	
SAMSUNG	1/3" Vertical Double IT CCD 410K pixels, 520TVL(Color), 550TVL(B/W), WDR,MD,Line Lock, Day/Night, Sens-up, Color:0.13Lux, B/W:0.001Lux, Privacy Image, Timer, AC24V/DC12V Dual Voltage,S	SHC-730P	
JVC	1/2", 480 lines, 0.3 lux (0.0125 lux slow shutter) backlight 12VDC/24VAC, CS/C, DSP, EI/DD/AI, AWB, int sync/l-lock, HLI dump, S-VHS, cam ID, pk w inv, RS422/485 control, extended dyna	TK-C1480BE	
JVC	1/2", 480 lines, 0.3 lux (0.0125 lux slow shutter) backlight 240VAC, CS/C, DSP, EI/DD/AI, AWB, int sync/l-lock, HLI dump, S-VHS, cam ID, pk w inv, RS422/485 control, extended dynamic range	TK-C1481BEG	
SANYO	1/4", 520 lines, 22 x optical zoom, 16 x digital zoom 0.002 lux, 3 mode backlight, 12VDC/24VAC, EI/DD/AI	VCCZM400P	
JVC	1/2" colour/mono, 480 lines, 0.3 lux (down to 0.0125 lux frame integration), 10 x digital zoom, HLI dump 64, backlight, WDR, 12VDC/24VAC, CS/C, DSP, EI/DD/AI, AGC, A	TK-C1460BE	
SANYO	All in one DSP day night camera, 1/4", 520 lines, 22 x optical zoom, 16 x digital zoom, 0.002 lux, 3 mode backlight, 12VDC/24VAC, EI/DD/AI, complete with cable manaqed housin	VCC XZ400P	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS





Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
CAMERAS WITH INTEGRAL LENS			
	1/3" Colour CCD. 330TVline,Fixed Lens f=3.7mm	SID-22CP	
	1/3" Colour CCD. 470TVline,Fixed Lens f=3.7mm	SID-41CP	
	1/3" CCD, COLOUR, 470TVL, BLC, 0.5LUX, BACK FOCUS, 24VAC with integral 3.5-9.5 Varifocal Lens	SOC-4020PA	
	1/3" CCD, COLOUR, 470TVL, BLC, 0.5LUX, BACK FOCUS, 12VDC with integral 3.5-9.5 Varifocal Lens	SOC-4020PD	
	1/3" Colour CCD. 470TVline,Varifocal f=1.6-2.4 f=4.0-9.0mm, Auto Iris	SID-41CVAP	
	1/3", 350 lines, 0.04 lux, built in varifocal lens 2.8-5.8mm, backlight, 12VDC/24VAC, CS/C, EI/DD/AI, int/ext sync, with PSU	VCC8115P	
	1/3" Vertical Double IT CCD, 410K pixels, 500TVL(Color), 550TVL(B/W), WDR,MD,Line Lock, Day/Night, Sens-up, Color:0.8Lux, B/W:0.01Lux, Privacy Image, Timer, AC24V/DC12V Dual Integral 3.5-9.5 Varifoc	SOC-4120P	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

BULLET CAMERAS - MONOCHROME

DIGIMERGE	B&W Bullet camera, fixed 3.6mm lens, 380 lines 1/3" CCD, 0.5 lux	DB1100	
PECAN	Bullet 20mm monochrome 1/3" PAL 380TVL 0.1 Lux	P20	
Rainbow CCTV	Bullet camera, 1/3" B&W, 420TVL, 70 deg. Field of view (3.6mm lens), 0.1 lux, 12Vdc, c/w swivel mount	BB70WX	
PECAN	Bullet 50mm monochrome 1/3" CCIR 420TVL 0.2 Lux IR LEDs	P50L	

BULLET CAMERAS - COLOUR

AV TECH	Colour Bullet Camera 1/3" Sony Color IR Camera, 350 TVL (1Lux / F2.0, 0Lux (10 meter IR ON), 12x LED's	AVC667R	
DIGIMERGE	Colour Bullet camera, fixed 3.6mm lens 330 lines 1/4" CCD, 1 lux	DB1200	
DIGIMERGE	Colour Bullet camera, fixed 3.6mm lens, 470 lines, 1/3" CCD, 0.7 lux	DB5200	
PECAN	Bullet 50mm Col/mono 1/3" CCIR 420TVL 0.2 Lux IR LEDs	PC50L	
PECAN	Bullet 20mm colour 1/4" PAL 380TVL 3.0 Lux	PC20	
DIGIMERGE	Colour Bullet camera varifocal 4-9mm lens, 330 lines, 1/4" CCD, 1 lux	DB1250	
Rainbow CCTV	Bullet camera, 1/3" colour DSP, 380TVL, 70 deg. Field of view (3.6mm lens), 0.5 lux, 12Vdc, c/w swivel mount	BC70WX	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

BULLET CAMERAS - COLOUR

	Bullet 29mm colour 1/3" PAL 380TVL 0.1 Lux IR LEDs	PC29L	
	Bullet camera, 1/3" colour DSP, 380TVL, 4.0-9.0mm varifocal lens, 0.5 lux, 12Vdc, weatherproof housing with swivel mount	BCVF4WX	
	Bullet 29mm colour 1/3" PAL 450TVL 0.1 Lux	PC29H	
	Bullet 37mm Col 1/3" 450 tvl c/w White Leds IP67	PC37L	
	Bullet camera with IR, 1/3" colour DSP, 380TVL, 40ft range, semi-visible LED's, 12Vdc, weatherproof housing with swivel mount	BC70WIRX	
	Bullet 29mm colour 1/3" PAL 450TVL 0.1 Lux IR LEDs	PC29HL	
	Bullet 68mm colour 1/3" PAL 450TVL 0.8 Lux Vari-Focal Auto-Iris 4-9mm	PC68HVAI	
	Bullet 68mm colour 1/3" PAL 450TVL 0.8 Lux Vari-Focal Auto-Iris 4-9mm	PC68HVAI-CRM	
	1/4" Colour 480 TVL High Resolution 0.75 Lux with Built in Varifocal 2.8 - 10mm Lens 12VDC/24VAC	ZC-L1210PHA	
	Camera, Colour bullet, 1/3" , aluminium enclosure, 350TVL, 0.3lux, backlight, built-in 4-9mm varifocal auto-iris lens, 12VDC/24VAC	HCC80354X	
	Camera, Colour bullet, 1/3" , aluminium enclosure, 480TVL, 0.75lux, backlight, built-in 4-9mm varifocal auto-iris lens, 12VDC/24VAC	HCC80484X	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
BULLET CAMERAS - DAY/NIGHT			
	1/4" Colour/mono 350 TVL 1.0/0.0 Lux with Built-in 4.0mm Lens IR External	MTC-EX4	
	Day/Night Bullet camera with integrated IR LED's 350 lines 1/4" CCD, 1 lux	DB1300	
	Bullet, day/night, indoor/outdoor use, 1/3" Format CCD, std-res, 330 TVL, 3.8mm lens, 12 VDC	BDN12MPF38	
	Bullet, day/night, indoor/outdoor use, I/R integrated, hi-res, 480 TVL, VF Lens 3-9.5mm lens, 12 VDC	BDN12HPV39	
	TDN True Day Night col/mono 330 TVL 1.0 Lux / monochrome 380 TVL 0.4 Lux IP66 4-9mm IP66	PC60LT	
	Bullet camera, True Day Night PAL, 350TVL, Line Lock, 12 LED's	HCD81354X	
	Bullet camera, True Day Night PAL,350TVL, Line Lock, 48 LED's	HCD82354X	
	TDN True Day Night col/mono 450 TVL 1.0 Lux / monochrome 560 TVL 0.4 Lux IP66 4-9mm IP66	PC60HLT	
	TDN True Day Night col/mono 550 TVL 1.0 Lux / monochrome 560 TVL 0.4 Lux IP66 3.3- 12.0mm IP66	PC76HLT	
	Bullet camera, True Day Night PAL,480TVL, Line Lock, 12 LED's	HCD81484X	
	Bullet camera, True Day Night PAL,480TVL, Line Lock, 48 LED's	HCD82484X	
	Bullet camera, True Day Night aluminium enclosure, true day/night, 350TVL, 0.15lux, backlight, built-in 4-9mm varifocal auto-iris lens, 12VDC/24VAC	HCX80D2100-T2	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

BULLET CAMERAS - DAY/NIGHT

Honeywell	Bullet camera, True Day Night aluminium enclosure, true day/night, 480TVL, 0.2lux, backlight, built-in 4-9mm varifocal auto-iris lens, 12VDC/24VAC	HCX80D2600-T2	
PECAN	TDN True Day Night col/mono 550 TVL 1.0 Lux / monochrome 560 TVL 0.4 Lux IP66 5.0-50mm IP66	PC96HLT	

DOMES CAMERAS

DEDICATED MICROS	Fixed attitude 2060 Dome with colour zoom Camera	DM/2060-207	
DEDICATED MICROS	Fixed 2060 Dome switchable col/mono zoom camera	DM/2060-208	
Honeywell	Camera, colour, static zoom 1/4" Exview 23x, 450 lines res, 12Vdc	GC-655PX-VR	
Honeywell	Camera, colour/mono, static zoom 1/4" Exview 25x, 450 lines res, 12Vdc	HZC-755PX-VR	
Honeywell	5" INTERNAL STATIC COLOUR CAMERA MICROS PHERES Colour 460 lines, 2.9-8mm variable lens, top cover smoked	H5MT0208CP46TS	
Honeywell	5" INTERNAL STATIC COLOUR CAMERA MICROS PHERES False Ceiling smoked	H5MT0208CP46FS	
Honeywell	5" INTERNAL STATIC COLOUR CAMERA MICROS PHERES Hard Ceiling Smoked	H5MT0208CP46HS	
Honeywell	5" INTERNAL STATIC COLOUR CAMERA MICROS PHERES Colour / Mono 450/570 lines 1/0.4 lux, 2.9-8mm variable lens, top cover smoked	H5MT0208DP45TS	
Honeywell	5" INTERNAL STATIC COLOUR CAMERA MICROS PHERES Colour / Mono 450/570 lines 1/0.4 lux, 2.9-8mm variable lens, False Ceiling smoked	H5MT0208DP45FS	
Honeywell	5" INTERNAL STATIC COLOUR CAMERA MICROS PHERES Colour / Mono 450/570 lines 1/0.4 lux, 2.9-8mm variable lens, Hard Ceiling smoked	H5MT0208CP45HS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS


Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
DOMES CAMERAS			
Honeywell	5" INTERNAL STATIC COLOUR EXVIEW CAMERA MICROSPHERES 470 lines, 2.9-8mm variable lens, top cover, smoked	H5MT0208XP47TS	
Honeywell	5" Microsphere, static, Colour Exview 470 lines, 2.9-8mm variable lens, false ceiling, smoked	H5MT0208XP47FS	
Honeywell	5" Microsphere, static Colour Exview 470 lines, 2.9-8mm variable lens, hard ceiling smoked	H5MT0208XP47HS	
Honeywell	8" External Microsphere, static Colour 460 lines, 2.9-8mm AI lens, Wall mount, IP65, clear	H8ET0208CP46WC	
Honeywell	8" External Microsphere, static Colour 460 lines, 2.9-8mm AI lens, Soffit mount, IP65, clear	H8ET0208CP46SC	
Honeywell	8" External Microsphere, static Colour 460 lines, 2.9-8mm AI lens, Pole mount, IP65, clear	H8ET0208CP46PC	
Honeywell	8" External Microsphere, static Colour 460 lines, 2.9-8mm AI lens, Regent Wall mount, IP65, clear	H8ET0208CP46RWC	
Honeywell	8" External Microsphere, static Colour 460 lines, 2.9-8mm AI lens, Regent Pole mount, IP65, clear	H8ET0208CP46RPC	
Honeywell	8" External Microsphere, static Colour Exview 470 lines, 2.9-8mm AI lens, Wall mount, IP65, clear	H8ET0208XP47WC	
Honeywell	8" External Microsphere, static 470 lines, 2.9-8mm AI lens, Soffit mount, IP65, clear	H8ET0208XP47SC	
Honeywell	8" External Microsphere, static, Colour Exview 470 lines, 2.9-8mm AI lens, Pole mount, IP65, clear	H8ET0208XP47PC	
Honeywell	8" External Microsphere, static Colour Exview 470 lines, 2.9-8mm AI lens, Regent Wall mount, IP65, clear	H8ET0208XP47RWC	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS





Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

DOMES CAMERAS

Honeywell	8" External Microsphere, static Colour Exview 470 lines, 2.9-8mm Al lens, Regent Pole mount, IP65, clear	H8ET0208XP47RPC	
Honeywell	8" External Microsphere, static Colour/Mono 450 lines, 2.9-8mm Al lens, Wall mount, IP65, clear	H8ET0208DP45WC	
Honeywell	8" External Microsphere, static Colour/Mono 450 lines, 2.9-8mm Al lens, Soffit mount, IP65, clear	H8ET0208DP45SC	
Honeywell	8" External Microsphere, static Colour/Mono 450 lines, 2.9-8mm Al lens, Pole mount, IP65, clear	H8ET0208DP45PC	
Honeywell	8" External Microsphere, static Colour/Mono 450 lines, 2.9-8mm Al lens, Regent Wall mount, IP65, clear	H8ET0208DP45RWC	
Honeywell	8" External Microsphere, static Colour/Mono 450 lines, 2.9-8mm Al lens, Regent Pole mount, IP65, clear	H8ET0208DP45RPC	

MINI DOMES CAMERAS - MONOCHROME

Rainbow CCTV	Mini dome camera, 1/3" B&W, 380TVL, 3.6mm lens, 0.5 lux, 12Vdc	MDB70X	
DIGIMERGE	B&W High Impact Dome, fixed 3.6mm lens, 380 lines, 1/3" CCD, 0.5 lux	DD2100	
DIGIMERGE	B&W High Impact Dome, varifocal 4-9mm lens, 380 lines, 1/3" CCD, 0.5 lux	DD3150	
Honeywell	Dome, static, 1/3", monochrome, 3", 400 TVL, 0,3Lux, 4-9mm DD lens, 12/24VDC	HD3VM4AX	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
MINI DOMES CAMERAS - COLOUR			
AV TECH	1/3" SONY Color Dome Camera , 350TVL (0.5 lux / F2.0)	AVC562R	
AV TECH	1/3" SONY High Resolution Color Dome Camera 480TVL (1.0 lux / F2.0)	AVC562HR	
DIGIMERGE	Colour Indoor Dome, fixed 3.6mm lens, 330 lines, 1/4" CCD, 1 lux	DD2200	
Rainbow CCTV	Mini dome camera, 1/3" colour DSP, 380TVL, 3.6mm lens, 0.2 lux, 12Vdc	MDC70X	
SANYO	False ceiling mounting bracket for VCB-9112P and VCC-9612P	VA-DK01	
Honeywell	Dome, static, 1/4" colour, 2" fixed mini dome, 330 TVL, 1.2 lux, 12VDC	AD2FC1BX	
GANZ	1/4" Colour Minidome 330 TVL 1.0 Lux with 3.5mm Lens 12VDC	MDC-36-II	
Rainbow CCTV	Mini dome camera, 1/3" colour, 380TVL, 3.5-8.0mm varifocal lens, 12Vdc	MDCVF12X	
DIGIMERGE	Colour Indoor Dome, fixed 3.6mm lens, 470 lines, 1/3" CCD, 0.7 lux	DD6200	
DIGIMERGE	Colour High Impact Dome, varifocal 4-9mm lens, 330 lines, 1/4" CCD, 1 lux	DD3250	
Rainbow CCTV	Mini dome camera, 1/3" colour, 470TVL, 3.3-12.0mm varifocal lens, 12Vdc/24VAC	MDCHVFX	
DEDICATED MICROS	Colour Dome 1/3" 380TVL 3.6mm lens Ext.adj.	DM/1000-103	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
MINI DOMES CAMERAS - COLOUR			
Honeywell	Dome, static, 1/3" colour, 3" varifocal dome, 330 TVL, 0.8 lux, 4-9mm varifocal lens, 12VDC/24VAC	HD3VC4AX	
Honeywell	Dome, static, 1/3" colour, 3" varifocal dome, 480 TVL, 2.0 lux, 4-9mm varifocal lens, 12VDC/24VAC	HD3VC4HRX	
	Colour Dome 1/3" 580TVL 3.6mm lens Ext.adj.	DM/1000-106	
	MiniDome 110mm colour 1/3" PAL 450TVL 0.4 Lux 60mA	D11-CH	
	MiniDome 110mm colour 1/3" PAL 450TVL 0.4 Lux 100mA Vari-Focal Auto-Iris	D11-CHVAI	
Honeywell	Dome, static, 1/3" colour, 3" varifocal dome, 480 TVL, 2.0 lux, 4-9mm varifocal lens, 12VDC/24VAC	HD3VC4HRX	
SANYO	1/3", 4.5" diameter, colour, compact static dome, wall or ceiling, 2.6-5.6mm varifocal, backlight, 12VDC	VCC-9615P	
	1/4" Colour Varifocal Minidome 480 TVL 0.75 Lux with built in 2.8 - 10mm AI Lens 12VDC/24VAC	ZC-D3210PHA	
JVC	1/4" CCD Fixed Mini Dome 540 TV lines. Minimum illumination 2.4 lux at f1.2 (smoked cover) 0.9 lux at f1.2 (clear cover) Power requirement 24V AC or 12V DC	TK-C205E(A)	
	1/4" Colour Varifocal Minidome 480 TVL 1.8 Lux with Built in 5.0-50mm AI Lens 12VDC/24VAC	ZC-D2550PHA	
JVC	1/4" CCD Fixed Anti-Vandal Mini Dome 535 TV lines. Vandal Resistant. Minimum illumination 1 lux at f1.2 (clear cover) Power requirement 24V AC or 12V DC	TK-C205VPE	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

MINI DOMES CAMERAS - ACCESSORIES

	Ceiling mount adaptor for -TK-C676E(B)/TK-C655E(B)/VN-C655E/TK-C625E/VN-C625E.	WB-S623U
	Wall mount adaptor for -TK-C676E(B)/TK-C655E(B)/VN-C655E/TK-C625E/VN-C625E/TK-C205E(A)	WB-S622U
	Pendant mount adaptor for TK-C625E/VN-C625E/TK-C205E(A)	WB-S621U

MINI DOMES CAMERAS - DAY/NIGHT

	High Impact Dome, 1/3" colour, basic day/night, 460TVL, 3.8-9.5mm varifocal aspheric lens, DC auto iris, IP66, clear polycarbonate cover with black inner liner, 0.5 lux, 12Vdc	HDCVF3DX	
	MiniDome 110mm col/mono TDN 1/3" PAL 450TVL 1.0/0.0 Lux 180mA IR LEDs	D11-CHLT	
	MiniDome 110mm col/mono TDN 1/3" PAL 450TVL 0.4 Lux 100mA Vari-Focal Auto-Iris	D11-CHVAIT	
	Day/night 520 Lines, 1/4" , varifocal, 1.2/0.04 lux, surface mount, dual voltage	VDC-D1185VP	
	Day/night 520 Lines, 1/4" , varifocal, 1.2/0.04 lux, in ceiling mount dual voltage	VDC-D2185VP	















VANDAL RESISTANT DOMES CAMERAS - MONOCHROME

	Vandal Dome 137mm Mono 1/3" CCIR 380TVL 0.2 Lux 100mA, IP66	VRD135M	
	Vandal Dome 137mm Mono 1/3" CCIR 570TVL 0.2 Lux 100mA, IP66	VRD135MH	
	Vandal Dome 137mm Mono 1/3" CCIR 570TVL 0.2 Lux 100mA 4-9mm AI IP66	VRD135MHVAI	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
VANDAL RESISTANT DOMES CAMERAS - COLOUR			
	Vandal Dome 137mm Colour 1/3" PAL 330TVL 1.5 Lux 100mA IP66	VRD135C	
	Vandal resistant colour mini dome 520 lines res, 3.3-12mm DD, 0.8 lux, complete, excludes PSU	HD4VC4HRX	
	1/3" Vandal Proof IP66 Colour 470TVline, Vari-focal Lens f=3.8-9.5mm, DC12v/AC24V 3 Axis	SVD-4020P	
	1/3" Vandal Proof IP66 Colour 470TVline, Vari-focal Lens f=2.5-6mm, DC12V/AC24V, 3 axis	SVD-4020PW	
	Vandal Dome 137mm Colour 1/3" PAL 450TVL 1.0 Lux 140mA IP66	VRD135CH	
	Vandal Dome 137mm Colour 1/3" PAL 450TVL 1.0 Lux 140mA 4-9mm AI IP66	VRD135CHVAI	
	Colour vandal resistant dome, 460TVl, vari-focal lens, 1 lux, dual voltage	VDC-C1175VP	
	1/4" Colour High Resolution Vandal Resistant Dome 480 TVL 0.75 Lux with 2.8 - 10mm AI Lens 12VDC/24VAC	DT3210PHA	
	1/4" Colour High Resolution Vandal Resistant Dome 480 TVL 0.28 Lux (Colour) 0.09 Lux (Mono) with 4.0 - 7.5mm AI Lens 12VDC/24VAC	DTDN3048PHA	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS




Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
VANDAL RESISTANT DOMES CAMERAS - DAY/NIGHT			
	Vandal Dome 137mm Col/Mono TDN 1/3" PAL 450/560TVL 1.0/0.0 Lux 140mA	VRD135CHT	
	Vandal Dome 137mm Col/Mono TDN 1/3" PAL 450/560TVL 1.0 Lux 140mA 4-9mm AI IP66	VRD135CHVAIT	
	Vandal Dome 137mm Col/Mono TDN 1/3" PAL 450/560TVL 1.0/0.0 Lux 180mA IR LEDs	VRD135CHLT	
	1/3" Vandal Proof, IP66 Day/Night, 480TVL(Colour), f=3.8-9.5mm, 550TVL(B/W), SSNR, WDR, MD, Line Lock, Day/Night, Sens-up, Colour:0.8Lux, B/W:0.01Lux, Privacy Image, DC12V/AC24v, 3 axis	SVD-4120P	
	1/3" Vandal Proof, IP66 Day/Night, 480TVL(Colour), f=2.5-6mm, 550TVL(B/W), SSNR, WDR, MD, Line Lock, Day/Night, Sens-up, Colour:0.8Lux, B/W:0.01Lux, Privacy Image, DC12V/AC24v, 3 axis	SVD-4120PW	
	Day/night vandal dome, 520 lines, 1/4" , varifocal, 1.2/0.04 lux, surface mount, dual voltage	VDC-D1185VP	
	Day/night vandal dome, 520 Lines, 1/4" , varifocal, 1.2/0.04 lux, in ceiling mount dual voltage	VDC-D2185VP	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS



MAGNAVIEV VANDAL RESISTANT POLYCARBONATE ENCLOSURE

Honeywell	Primaview, clear polycarbonate round vandal resistant dome Coax interface	HEC14CX	
Honeywell	Primaview, clear polycarbonate round vandal resistant dome UTP interface	HEC14TPX	
Honeywell	Primaview, clear polycarbonate semi round vandal resistant dome Coax interface	HEV29ACX	

MAGNAVIEV GRIP LESS VANDAL RESISTANT METAL ENCLOSURE

Honeywell	Magnaview, clear polycarbonate grip less vandal resistant dome Coax interface	HEV28GCX	
Honeywell	Magnaview, clear polycarbonate grip less vandal resistant dome UTP interface	HEV28GTPX	

MAGNAVIEV ROUND VANDAL RESISTANT METAL ENCLOSURE

Honeywell	Magnaview, clear polycarbonate round metal vandal resistant dome Coax interface	HEV28RCX	
Honeywell	Magnaview, clear polycarbonate round metal vandal resistant dome Coax interface with audio	HEV28RCMX	

MAGNAVIEV CORNER VANDAL RESISTANT METAL ENCLOSURE

Honeywell	Magnaview, clear polycarbonate corner metal vandal resistant dome Coax interface	HEV28CCX	
------------------	---	----------	---

MAGNAVIEV CORNER VANDAL RESISTANT STAINLESS STEEL ENCLOSURE

Honeywell	Magnaview, clear polycarbonate stainless steel vandal resistant dome Coax interface	HEV28CCSX	
------------------	--	-----------	---

UTP BOARD FOR HEV29, HEV28R & HEV28C

Honeywell	UTP Board for HEV29, HEV28R & HEV 28C	HEVUTP	
------------------	---------------------------------------	--------	--

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

PRIMAVIEW & MAGNAVIEW CAMERA MODULES

Honeywell	Camera module 1/3" Monochrome, 570TVL, 0.16lux, 12VDC/24VAC	HCGB57X	
Honeywell	Camera module 1/3" Colour, 350TVL, 0.8 lux, 12VDC/24VAC	HCGC35X	
Honeywell	Camera module 1/3" Colour, 480TVL, 1.0lux, 12VDC/24VAC	HCGC48X	
Honeywell	Camera module 1/3" colour EX-View, 480TVL, 1.0lux, 12VDC/24VAC	HCGE48X	
Honeywell	Camera module 1/3" colour Wide Dynamic, 480TVI, 1.0lux, 12VDC/24VAC	HCGW48X	
Honeywell	Camera module 1/3" true day/night, 480TVL, 0.15lux, 12VDC/24VAC	HCGD48X	
Honeywell	Camera module 1/3" colour Wide Dynamic True Day Night, 480TVL, 0.07lux, 12VDC/24VAC	HCGWD48X	

PRIMAVIEW & MAGNAVIEW QUICK CHANGE LENS MODULES






Honeywell	Quick Change Lens Module, 2.9mm, manual iris	HLQ029X	
Honeywell	Quick Change Lens Module, 3.6mm, manual iris	HLQ036X	
Honeywell	Quick Change Lens Module, 6.0mm, manual iris	HLQ060X	
Honeywell	Quick Change Lens Module, 8.0mm, manual iris	HLQ080X	
Honeywell	Quick Change Lens Module, 12.0mm, manual iris	HLQ120X	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS




Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

PRIMAVIEW & MAGNAVIEW QUICK CHANGE LENS MODULES

Honeywell	Quick Change Lens Module, 16.0mm, manual iris	HLQ160X	
Honeywell	Quick Change Lens Module, Variety Pack: 2.9, 3.6, 6.0, 8.0mm	HLQVP4X	
Honeywell	Quick Change Lens Module, Auto-Iris Varifocal, 4-9mm (Not useable with i10C or C12)	HLQAV1X	
Honeywell	Quick Change Lens Module, Auto-Iris Varifocal, 2.8-6.0mm (Not useable with i10C or C12)	HLQAV2X	
Honeywell	Quick Change Lens Module, Auto-Iris Varifocal, 9-22mm (Not useable with i10C or C12), International	HLQAV3X	

PRIMAVIEW & MAGNAVIEW ACCESSORIES






Honeywell	Dome Replacement Kit, half tint polycarbonate for HEV28CC, HEV29	DRK3.0	
Honeywell	Dome Replacement Kit, half tint, Large, for HEV28GC, HEV14, H28R	DRK3.2	
Honeywell	Pendant Mount Kit for C12/ C14	HEC12/14-PK	
Honeywell	V28C Corner mount - spare part - White Cover plate	HEV28C-CWH	
Honeywell	V28C Corner mount Mid-Wall Top Cap Mount White	HEV28C-LWH	
Honeywell	V28R Pendant Kit - includes conduit adapter plate and gasket	HEV28R-PK	
Honeywell	V28C Corner mount Mid-Wall Top Cap Mount Brushed Stainless Steel	HEV28C-LSS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS





PRIMAVIEW & MAGNAVIEW ACCESSORIES

Honeywell	SWE Tamperproof Screw kit for C12, C14, V28F, V28G, C16 & V28P cameras	HETPS-8	
Honeywell	V28C Corner mount - spare part - Brushed Stainless Steel Cover plate	HEV28C-CSS	
Honeywell	SWE Tamperproof Screw kit for V28R, V28S & V29A cameras	HETPS-10	
Honeywell	Wall Mount Kit for C12/ C14	HEC12/14-WK	
Honeywell	V28R Wall Mount kit - w/ adapter plate, gasket and wall mount arm assembly	HEV28R-WK	





DEVIEW VANDAL RESISTANT MODULAR CAMERA SERIES

A. CHOOSE YOUR DVIEW ENCLOSURE

DEVIEW D100 SERIES CAMERA HOUSING

	Vandal dome, aluminium, surface/flush mount, 12VDC/24VAC	D150-VRH	
	Vandal dome, painted steel, surface mount, 12VDC/24VAC	D160-VRH	

DEVIEW D200 SERIES CAMERA HOUSING

	Compact vandal dome, polymer, surface/flush mount, 12VDC/24VAC	D200-VRH	
	Compact vandal dome, polymer, surface/flush wall mount, 12VDC/24VAC	D230-VRH	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

DEVIEW D300 SERIES CAMERA HOUSING

	Corner plate assembly for D150-VRH or D165-VRH	D1-CPM	
	Corner plate assembly for D150-VRH or D165-VRH	D1-CPM	
	Corner plate assembly for D175-VRH	D1-CPS	
	Corner plate assembly for D200-VRH	D2-CPM	

B. CHOOSE YOUR DEVIEW CAMERA MODULE






	Colour, 480TVL, 3.8mm lens + gimbal bracket	DB-CHEF38	
	Colour, 480TVL, 3.8mm lens + gimbal bracket	DG-CHEF38	
	Day/Night hi-res, 480TVL, 3.8mm lens + ball joint bracket	DB-DHEF38	
	B/W hi-res, 570TVL, VF lens AI 4-9mm + gimbal bracket	DG-MHE4V9	
	Day/Night hi-res, 480TVL, VF lens AI 3-9mm + gimbal bracket	DG-DHE3V9	
	Colour hi-res, 450TVL, VF lens AI 4-9mm + gimbal bracket	DG-CHE4V9	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS




Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

ADDITIONAL LENSES

	2.5mm lens	DV-L2.5
	2.9mm lens	DV-L2.9
	3.8mm lens	DV-L3.8
	6.0mm lens	DV-L6.0
	8.0mm lens	DV-8.0

SPECIAL APPLICATION CAMERAS

Honeywell	V60 Night Hawk High Resolution Monochrome CCIR Camera with 6 mm lens	V60AB26060	
Honeywell	Camera, Colour, Bullet resistant, 450TVL, 6 mm lens	V130-06CP	
GANZ	1/4" Colour WaterProof Marine Camera 480 TVL 0.75 Lux 2.8 - 10mm AI Lens C/CS-M 12VDC/24VAC in Stainless Steel IP 68 Housing (PAL)	MRC-210P	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS


















Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
IP67 HOUSING WITH BUILT IN CAMERA			
	IP67 Rated Housing Pre-built with LC-P36AE-II Colour Camera including integral 3 - 6mm Varifocal Lens 230VAC	36-K	
Honeywell	Camera, Colour, mini dome with 12 built in IR's, Standard Resolution Day/Night camera, clear tint acrylic dome, 4.3 mm fixed lens, 12VDC operation, AGC inc. IP67	SWX45-21043	
	Outdoor camera, 1/3" colour DSP, basic day/night function, 480TVL, 3.5-8.0mm DC auto iris varifocal lens, heater, 0.5 lux,12Vdc/24VAC, c/w wall bracket	OCL48VD3HX	
	Outdoor camera, 1/3" colour DSP basic day/night function, 480TVL, 5.0-50mm DC auto iris varifocal lens, heater, 0.5 lux,12Vdc/24VAC, c/w wall bracket	OCL48VD5HX	
Honeywell	V60 Night Hawk High Resolution Colour PAL camera with 6 mm lens	V60PC25060	
	IP67 Rated Housing Pre-built with YCH-30P Hi Res Colour Camera & TG4Z2813FCS	YCH-30-K	
Honeywell	V60 Night Hawk High Resolution Colour PAL camera with 6 mm lens	V60EC25060	
	IP67 Rated Housing Pre-built with ZC-NH255P Day/Night Camera & TG3Z3510FCS-IR +31 24VDC	NH255P-K	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

DISCREET CAMERAS

	Microdome domeshell, polycarbonate, clear	D050PC	
	Microdome adaptor, surface mount black	D050SM	
	Microdome adaptor, surface mount silver	D050SM(S)	
	Microdome adaptor, angled surface mount, black	D050SMA	
	Microdome adapter, angled surface mount, silver	D050SMA(S)	
	Microdome,45mm, pinhole lens, black case, colour, 1/3",330lines,3.6 fixed lens	D045C	
	Microdome,45mm, pinhole lens, SILVER , colour, 1/3",330lines,3.6 fixed lens	D045C(S)	
	Microdome 50mm colour 1/3" PAL 330TVL 0.4 Lux 85mA black housing IP66	D050C	
	Microdome 50mm colour 1/3" PAL 330TVL 0.4 Lux 85mA chrome housing IP66	D050C(S)	
	Microdome 50mm colour 1/3" PAL 450TVL 0.8 Lux 95mA black housing IP66	D050CH	
	Microdome 50mm colour 1/3" PAL 450TVL 0.8 Lux 95mA chrome housing IP66	D050CH(S)	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS













Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

COVERT CAMERAS

	PIR monochrome 1/3" 380TVL 0.1 Lux Pinhole	PAL	COV-PIR-M	
	Smoke monochrome 1/3" PAL 380TVL 0.1 Lux Pinhole		COV-ISD-M	
	Junctionbox monochrome 1/3" PAL 380TVL 0.1 Lux Pinhole		COV-JBOX-M	
	PIR monochrome 1/3" PAL 380TVL 0.1 Lux Pinhole Operational PIR		COV-PIR-MO	
	PIR monochrome 1/3" PAL 550TVL 0.1 Lux Pinhole		COV-PIR-MH	
	Clock monochrome 1/3" PAL 380TVL 0.1 Lux Pinhole		COV-CLOCK-M	
	B/W camera, active PIR, Microphone, Timer & Video over UTP (w/ Balun & PS).		Dcam-600/TB	
	PIR monochrome 1/3" PAL 550TVL 0.1 Lux Pinhole Operational PIR		COV-PIR-MOH	
	Smoke colour 1/3" PAL 330TVL 0.8 Lux Pinhole		COV-ISD-C	
	Junctionbox colour 1/3" PAL 330TVL 0.8 Lux Pinhole		COV-JBOX-C	
	Clock colour 1/3" PAL 330TVL 0.8 Lux Pinhole		COV-CLOCK-C	
	B/W .003Lux camera, active PIR, Microphone, Timer & Video over UTP (w/ Balun & PS).		Dcam-600/TBX	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
1. STATIC CAMERAS			
COVERT CAMERAS			
	PIR colour 1/3" PAL 330TVL 0.8Lux Pinhole	COV-PIR-C	
	Smoke colour 1/3" PAL 330TVL 0.8 Lux Pinhole	COV-SMO-C	
	Color camera, active PIR, Microphone, Timer & Video over UTP (w/ Balun & PS).	Dcam-600/TC	
	PIR colour 1/3" PAL 330TVL 0.8Lux Pinhole Operational PIR	COV-PIR-CO	
	PIR colour 1/3" PAL 450TVL 0.8Lux Pinhole	COV-PIR-CH	
	PIR colour 1/3" PAL 450TVL 0.8Lux Pinhole Operational PIR	COVPIR-COH	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

1. STATIC CAMERAS

DUMMY CAMERAS

Honeywell	Camera, Dummy Honeywell swoosh	HCD000EX	
SANYO	Dummy camera with camera lens	VC-0924	
Honeywell	Orbiter 5" Dummy microsphere top cover, smoked, can't fit camera	H5M-DUM-TS	
Honeywell	Orbiter 5" Dummy microsphere false ceiling mount, smoked, complete, can't fit camera	H5M-DUM-FS	
Honeywell	Orbiter 8" Dummy external / internal microsphere clear, pole mount, complete, cannot fit a camera	H8E-DUM-P	
DEDICATED MICRODS	6inch Indoor/External 2060 Dummy Dome with Wall Bracket	DM/2060-006	
Honeywell	Orbiter 8" Dummy external / internal microsphere clear, wall mount, complete, cannot fit a camera	H8E-DUM-W	
Honeywell	Orbiter 8" Dummy external / internal microsphere clear, soffit mount, complete, cannot fit a camera	H8E-DUM-S	
Honeywell	Orbiter 8" Dummy external / internal microsphere clear, regent wall mount, complete, can't fit a camera	H8E-DUM-RW	
Honeywell	Orbiter 8" Dummy external / internal microsphere clear, regent pole mount, complete, cannot a fit camera	H8E-DUM-RP	