












PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>MINI PTZ'S / MINI SPEED DOMES</b>			
<b>AV TECH</b>	Internal PTZ camera 1/3" SONY CCD, 480TVL, (1.5 lux / F2.5) Zoom 4.2mm to 12.7mm, 16 presets	AVC933	
<b>INTERNAL SPEED DOMES</b>			
<b>DEDICATED MICROS</b>	Indoor 2040 dome for ceiling mounting	DM/2040-206	
<b>Honeywell</b>	<b>5" ORBITER MICROSPHERE INSIGHT</b> Top cover smoked, colour only. 16x optical zoom, 2 x digital zoom, 1 privacy zone, 8 presets, 1x tour	H5MN16CPVC1-TS	
<b>Honeywell</b>	<b>5" ORBITER MICROSPHERE INSIGHT</b> False ceiling clear, colour only. 16x optical zoom, 2 x digital zoom, 1 privacy zone, 8 presets, 1x tour	H5MN16CPVC1-FC	
<b>Honeywell</b>	<b>5" ORBITER MICROSPHERE INSIGHT</b> False ceiling smoked	H5MN16CPVC1-FS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER LITE</b> Top cover clear, colour only. 18x optical zoom, 8 x digital zoom, 1 privacy zone, 64 presets, 1x tour	H5ML18CPVC1-TC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER LITE</b> top cover smoked	H5ML18CPVC1-TS	
<b>GANZ</b>	Internal PTZ Camera 18:1 Colour, PAL pendant skirt, smoked acrylic & PSU	C-D1118P	
<b>GANZ</b>	Internal PTZ Camera 18:1 Colour, PAL false ceiling, smoked acrylic & PSU	C-D1118PC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER LITE</b> false ceiling clear, colour only. 18x optical zoom, 8 x digital zoom, 1 privacy zone, 64 presets, 1x tour	H5ML18CPVC1-FC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER LITE</b> false ceiling smoked	H5ML18CPVC1-FS	
<b>Honeywell</b>	<b>5" ORBITER MICROSPHERE INSIGHT</b> Hard ceiling clear, , colour only. 16x optical zoom, 2 x digital zoom, 1 privacy zone, 8 presets, 1x tour	H5MN16CPVC1-HC	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>5" ORBITER MICROSHERE INSIGHT</b> Hard ceiling smoked	H5MN16CPVC1-HS	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLD</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Gold top cover clear colour only	H8MG18CPVC1-TC	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLD</b> Gold top cover smoked, colour only	H8MG18CPVC1-TS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLD</b> top cover clear, colour only. 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MG18CPVC1-TC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLD</b> top cover smoked	H5MG18CPVC1-TS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER LITE</b> hard ceiling clear, colour only. 18x optical zoom, 8 x digital zoom, 1 privacy zone, 64 presets, 1x tour	H5ML18CPVC1-HC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER LITE</b> hard ceiling smoked	H5ML18CPVC1-HS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLD</b> False Ceiling clear, colour only. 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MG18CPVC1-FC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLD</b> False Ceiling smoked	H5MG18CPVC1-FS	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLD</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Gold false ceiling clear, colour only	H8MG18CPVC1-FC	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLD</b> Gold false ceiling smoked, colour only	H8MG18CPVC1-FS	
	<b>6inch Indoor 2060 Dome</b> with interface for RS485 Control	DM/2060-200	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLDX</b> low light sensitive Exview top cover clear, colour/mono. 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MG18XPVC1-TC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLDX</b> top cover smoked	H5MG18XPVC1-TS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLDX LOW LIGHT SENSITIVE EXVIEW</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. top cover clear, colour/mono	H8MG18XPVC1-TC	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLDX LOW LIGHT SENSITIVE EXVIEW</b> Top cover smoked, colour/mono	H8MG18XPVC1-TS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER PLATINUM</b> Top cover clear, colour/mono. 27x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MP27DPVC1-TC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER PLATINUM</b> Top cover smoked	H5MP27DPVC1-TS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLDX</b> Low light sensitive Exview False Ceiling clear, colour/mono. 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MG18XPVC1-FC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLDX</b> False Ceiling smoked	H5MG18XPVC1-FS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLD</b> Hard Ceiling clear, colour only. 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MG18CPVC1-HC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLD</b> Hard Ceiling smoked	H5MG18CPVC1-HS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER PLATINUM</b> False Ceiling clear, colour/mono. 27x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MP27DPVC1-FC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER PLATINUM</b> False Ceiling smoked	H5MP27DPVC1-FS	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLDX LOW LIGHT SENSITIVE EXVIEW</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. false ceiling clear, colour/mono	H8MG18XPVC1-FC	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER GOLDX LOW LIGHT SENSITIVE EXVIEW</b> false ceiling smoked, colour/mono	H8MG18XPVC1-FS	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER PLATINUM 27X ZOOM</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. top cover clear, colour/mono	H8MP27DPVC1-TC	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER PLATINUM 27X ZOOM</b> Top cover smoked, colour/mono	H8MP27DPVC1-TS	



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
	<b>6in Indoor Dome</b> with interface RS485Cntrl & AL008 Alm Card	DM/2060-204	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER PLATINUM 27X ZOOM</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. false ceiling clear, colour/mono	H8MP27DPVC1-FC	
<b>Honeywell</b>	<b>8" INTERNAL ORBITER PLATINUM 27X ZOOM</b> false ceiling smoked, colour/mono	H8MP27DPVC1-FS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLDX</b> Low light sensitive Exview Hard Ceiling clear, colour/mono. 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MG18XPVC1-HC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER GOLDX</b> Hard Ceiling smoked	H5MG18XPVC1-HS	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER PLATINUM</b> Hard Ceiling clear, colour/mono. 27x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours	H5MP27DPVC1-HC	
<b>Honeywell</b>	<b>5" INTERNAL ORBITER PLATINUM</b> Hard Ceiling smoked	H5MP27DPVC1-HS	
	<b>1/4" Day/Night 480TVL P/T/Z Speed Dome</b> 22x Optical Zoom, 10x Digital Zoom, Privacy Zones, Alarm inputs, PTZ Trace, Preset Tour, 48dB, OSD, Motion Detect, BLC, Continuous Auto Focus, 128 Preset, Autoflip, Pan speed: ~240°/sec(64step), Tilt speed: ~180°/sec	SPD-2200	
<b>EXTERNAL SPEED DOMES</b>			
	<b>6inch O/door 2060 Dome heater/fan (I/Face RS485Cntrl)</b>	DM/2060-201	
	<b>DD2060-201 Dome with Black Paint finish</b>	DM/2060-283	
	<b>External 2060 dome with fan &amp; sunshield fitted</b>	DM/2060-280	
	<b>6in O/door Dome</b> to Interface with RS485Cntrl & DRX100Card	DM/2060-203	
	<b>6inch Outdoor Dome</b> with Interface RS485 Cntrl&side entry Gland	DM/2060-209	






PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
	<b>6in Outdoor Dome</b> with Interface RS485 Cntrl & AL008 Alm Car	DM/2060-205	
	<b>External PTZ Camera</b> External dome pack 18:1 colour/mono, PAL, Wall, mounting Including EXT PSU	C-DN1X18P	
	<b>External PTZ Camera</b> External dome pack 18:1 colour/mono, PAL, Swan Neck mounting Including EXT PSU	C-DN1X18PS	
	<b>External PTZ Camera</b> External dome pack 25:1 colour/mono, PAL, Wall, mounting Including EXT PSU	C-DN1X25P	
	<b>External PTZ Camera</b> External dome pack 25:1 colour/mono, PAL, Swan Neck mounting Including EXT PSU	C-DN1X25PS	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER CAMERA MODULES</b> Orbiter Lite camera unit only, 18x optical zoom, 8 x digital zoom, colour only - available with wall mount (H8E-VRHWK) and corner mount (H8E-VRHCB) fixing kits	L18CPVC1-00	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER CAMERA MODULES</b> Orbiter Gold camera unit only, 18x optical zoom, 8 x digital zoom, colour only - available with wall mount (H8E-VRHWK) and corner mount (H8E-VRHCB) fixing kits	G18CPVC1-00	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER CAMERA MODULES</b> Orbiter GoldX Exview camera unit only, 18x optical zoom, 8 x digital zoom, colour/mono - available with wall mount (H8E- VRHWK) and corner mount (H8E-VRHCB) fixing kits	G18XPVC1-00	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER CAMERA MODULES</b> Orbiter Platinum camera unit only, 27x optical zoom, 10 x digital zoom, colour/mono - available with wall mount (H8E-VRHWK) and corner mount (H8E-VRHCB) fixing kits	P27DPVC1-00	
<b>Honeywell</b>	<b>HD6 Drop/Hard Ceiling mount</b> with Smoked Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	HD6DD1P1	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. wall mount, clear acrylic, colour only	H8EG18CPVC1-WC	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> Wall mount, smoked acrylic, colour only	H8EG18CPVC1-WS	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Soffit mount, clear acrylic, colour only	H8EG18CPVC1-SC	





PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Pole mount, clear acrylic, colour only	<b>H8EG18CPVC1-PC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> Pole mount, smoked acrylic, colour only	<b>H8EG18CPVC1-PS</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Smoked Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	<b>HD6DD2P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Clear Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	<b>HD6DD4P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Clear Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	<b>HD6DD5P1</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Smoked Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	<b>HD6DP1P1</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Smoked Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	<b>HD6DP2P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Smoked Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DD1P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Smoked Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DD2P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Clear Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DD4P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Clear Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DD5P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Smoked Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DP2P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Clear Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DP4P4</b>	



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Clear Lower Dome and White Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DP5P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Smoked Lower Dome and Black Trim Ring. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DP1P4</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - PENDANT OR WALL MOUNT</b> 18x optical / 12 x digital zoom, 28 privacy zone, 100 presets, 10 x tours, smoked acrylic, COLOUR ONLY	<b>HD6AW1P1</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - PENDANT OR WALL MOUNT</b> clear acrylic, COLOUR ONLY	<b>HD6AW4P1</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome</b> with Smoked Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Includes 24Vac Heater and Blower. Video over coax and RS484 data. Does not include Dome mount or power supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DW1P1</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome</b> with Clear Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Includes 24Vac Heater and Blower. Video over coax and RS484 data. Does not include Dome mount or power supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DW4P1</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Wall mount, clear acrylic, colour/mono	<b>H8EG18XPVC1-WC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> Wall mount, smoked acrylic, colour/mono	<b>H8EG18XPVC1-WS</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Soffit mount, clear acrylic, colour/mono	<b>H8EG18XPVC1-SC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> Soffit mount, smoked acrylic, colour/mono	<b>H8EG18XPVC1-SS</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Pole mount, clear acrylic, colour/mono	<b>H8EG18XPVC1-PC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> Pole mount, smoked acrylic, colour/mono	<b>H8EG18XPVC1-PS</b>	











PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Regent wall mount, clear acrylic, colour only	<b>H8EG18CPVC1-RWC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> Regent wall mount, smoked acrylic, colour only	<b>H8EG18CPVC1-RWS</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Regent Pole mount, clear acrylic, colour only	<b>H8EG18CPVC1-RPC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLD 18x ZOOM EXTERNAL</b> Regent Pole mount, smoked acrylic, colour only	<b>H8EG18CPVC1-RPS</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount with Smoked Lower Dome and White Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6EP2P1</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount with Smoked Lower Dome and Black Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6EP1P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount with Smoked Lower Dome and Black Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6ED1P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount with Smoked Lower Dome , White Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6ED2P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount with Clear Lower Dome and Black Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6ED4P1</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount with Clear Lower Dome and White Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6ED5P1</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount with Clear Lower Dome and Black Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6EP4P1</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount with Clear Lower Dome and White Trim Ring.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6EP5P1</b>	








PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>HD6, WeatherDome</b> with Smoked Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24Vac Heater and Blower. Does not include Dome mount or power supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DW1P4</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Clear Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video over coax and RS484 data.	<b>HD6DR4P1</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome</b> with Clear Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24Vac Heater and Blower. Does not include Dome mount or power supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DW4P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Smoked Lower Dome and Black Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6EP1P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Smoked Lower Dome and White Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6EP2P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Smoked Lower Dome and Black Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ED1P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Smoked Lower Dome , White Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ED2P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Clear Lower Dome and Black Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ED4P4</b>	
<b>Honeywell</b>	<b>HD6, Drop/Hard Ceiling mount</b> with Clear Lower Dome and White Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ED5P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Clear Lower Dome and Black Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6EP4P4</b>	
<b>Honeywell</b>	<b>HD6, Pendant/Wall mount</b> with Clear Lower Dome and White Trim Ring. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6EP5P4</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - PENDANT OR WALL MOUNT</b> smoked acrylic, COLOUR / MONO	<b>HD6BW1P1</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - PENDANT OR WALL MOUNT</b> clear acrylic, COLOUR / MONO	<b>HD6BW4P1</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Pole mount, clear acrylic, colour/mono	<b>H8EP27DPVC1-PC</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> Pole mount, smoked acrylic, colour/mono	<b>H8EP27DPVC1-PS</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Wall mount, clear acrylic, colour/mono	<b>H8EP27DPVC1-WC</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> Wall mount, smoked acrylic, colour/mono	<b>H8EP27DPVC1-WS</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Soffit mount, clear acrylic, colour/mono	<b>H8EP27DPVC1-SC</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> Soffit mount, smoked acrylic, colour/mono	<b>H8EP27DPVC1-SS</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome with Smoked Lower Dome.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Includes 24Vac Heater and Blower. Video over coax and data over 2-conductor cable. Does not include Dome mount or power supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6EW1P1</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome with Clear Lower Dome.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable. Includes 24Vac Heater and Blower. Does not include Dome mount or power supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6EW4P1</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Regent Wall mount, clear acrylic, colour/mono	<b>H8EG18XPVC1-RWC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> Regent Wall mount, smoked acrylic, colour/mono	<b>H8EG18XPVC1-RWS</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> 18x optical / 8 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Regent Pole mount, clear acrylic, colour/mono	<b>H8EG18XPVC1-RPC</b>	
<b>Honeywell</b>	<b>8" ORBITER GOLDX 18X ZOOM LOW LIGHT</b> Regent Pole mount, smoked acrylic, colour/mono	<b>H8EG18XPVC1-RPS</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>HD6 External Speed Dome, Ruggedised External dome</b> 18x optical / 12 x digital zoom, 28 privacy zone, 100 presets, 10 x tours. Smoked acrylic COLOUR ONLY	<b>HD6AR1PH</b>	
<b>Honeywell</b>	<b>HD6 External Speed Dome, Ruggedised External dome</b> Clear acrylic COLOUR ONLY	<b>HD6AR4PH</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - NITROGEN PRESSURISED - PENDANT OR WALL MOUNT</b> 18x optical / 12 x digital zoom, 28 privacy zone, 100 presets, 10 x tours. Smoked acrylic, COLOUR ONLY	<b>HD6AE1PA</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - NITROGEN PRESSURISED - PENDENT OR WALL MOUNT</b> Clear acrylic, COLOUR ONLY	<b>HD6AE4PA</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome with Smoked Lower Dome.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24Vac Heater and Blower. Does not include Dome	<b>HD6EW1P4</b>	
<b>Honeywell</b>	<b>HD6, WeatherDome with Clear Lower Dome.</b> Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24Vac Heater and Blower. Does not include Dome	<b>HD6EW4P4</b>	
<b>Honeywell</b>	<b>Ruggedised HD6, Pendant/Wall Mount with Smoked Lower Dome.</b> Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DR1P4</b>	
<b>Honeywell</b>	<b>Ruggedised HD6, Pendant/Wall Mount with Smoked Lower Dome.</b> Hi-Res. Color Camera (>470TVL) & 23X Zoom and 24VAC Heater and Blower.	<b>HD6DR1PH</b>	
<b>Honeywell</b>	<b>Ruggedised HD6, Pendant/Wall Mount with Clear Lower Dome.</b> Hi-Res. Color Camera (>470TVL) & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DR4P4</b>	
<b>Honeywell</b>	<b>Ruggedised HD6, Pendant/Wall Mount with Clear Lower Dome.</b> Hi-Res. Color Camera (>470TVL) & 23X Zoom and 24VAC Heater and Blower.	<b>HD6DR4PH</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Regent Wall mount, clear acrylic, colour/mono	<b>H8EP27DPVC1-RWC</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> As above with smoked acrylic	<b>H8EP27DPVC1-RWS</b>	
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> 27x optical / 10 x digital zoom, 28 privacy zone, 128 presets, 4 x tours and 4 mimic tours. Regent Pole mount, clear acrylic, colour/mono	<b>H8EP27DPVC1-RPC</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>ORBITER PLATINUM 27X ZOOM EXTERNAL</b> with smoked acrylic As Above	<b>H8EP27DPVC1-RPS</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Clear Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable.	<b>HD6ER4P1</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Clear Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ER4P4</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - NITROGEN PRESSURISED PENDENT OR WALL MOUNT</b> Smoked acrylic, COLOUR / MONO	<b>HD6BE1PA</b>	
<b>Honeywell</b>	<b>HD6 EXTERNAL SPEED DOME - NITROGEN PRESSURISED PENDENT OR WALL MOUNT</b> Clear acrylic COLOUR / MONO	<b>HD6BE4PA</b>	
<b>Honeywell</b>	<b>HD6 External Speed Dome, Ruggedised External dome</b> Clear acrylic, COLOUR / MONO	<b>HD6BR4PH</b>	
<b>Honeywell</b>	<b>HD6 External Speed Dome, Ruggedised External dome</b> Smoked acrylic COLOUR / MONO	<b>HD6BR1PH</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Smoked Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom and 24VAC heater and Blower. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DR4PJ</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Clear Lower Dome. Hi-Res. Color Camera (>470TVL) & 23X Zoom and 24VAC heater and Blower. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6DR1PJ</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Smoked Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ER1P4</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Smoked Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Includes 24VAC Heater and Blower.	<b>HD6ER1PH</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Clear Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Includes 24VAC Heater and Blower. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ER1PJ</b>	
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Clear Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable. Includes 24VAC Heater and Blower.	<b>HD6ER4PH</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>Ruggedized HD6, Pendant/Wall Mount</b> with Smoked Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Includes 24VAC Heater and Blower. Video and data on a single multi-conductor UTP cable (Cat 5).	<b>HD6ER4PJ</b>	
<b>Honeywell</b>	<b>HD6, Nitrogen Pressurized Dome</b> with Smoked Lower Dome. Hi-Res. Color Camera & 23X Zoom. Video over coax and RS484 data. Includes 24VAC Heater and Blower. Does not Include Dome Mount or Power Supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DE1P1</b>	
<b>Honeywell</b>	<b>HD6, Nitrogen Pressurized Dome</b> with Smoked Lower Dome. Hi-Res. Color Camera & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24VAC Heater and Blower. Does not Include Dome Mount or Power Supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DE1PJ</b>	
<b>Honeywell</b>	<b>HD6, Nitrogen Pressurized Dome</b> with Clear Lower Dome. Hi-Res. Color Camera & 23X Zoom. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24VAC Heater and Blower. Does not Include Dome Mount or Power Supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6DE4PJ</b>	
<b>Honeywell</b>	<b>HD6, Nitrogen Pressurized Dome</b> with Smoked Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video over coax and data over 2-conductor cable. Includes 24VAC Heater and Blower. Does not Include Dome Mount or Power Supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6EE1P1</b>	
<b>Honeywell</b>	<b>HD6, Nitrogen Pressurized Dome</b> with Smoked Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24VAC Heater and Blower. Does not Include Dome Mount or Power Supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6EE1PJ</b>	
<b>Honeywell</b>	<b>HD6, Nitrogen Pressurized Dome</b> with Clear Lower Dome. Hi-Res. (>470 TVL) Color Camera & 25X Zoom with removeable IR filter. Video and data on a single multi-conductor UTP cable (Cat 5). Includes 24VAC Heater and Blower. Does not Include Dome Mount or Power Supply. Recommend using HPTV2401WPZ Power Supply	<b>HD6EE4PJ</b>	
<b>Honeywell</b>	<b>Orbiter GoldX 8" Explosion Proof dome in stainless steel housing</b> PAL version 18x optical zoom (useable 12X optical, see below for explanation), 8 x digital zoom, colour/mono, 28 privacy zones, 128 presets, 24VAC, 8 alarm inputs, 2 relay outputs, 4 x tours and 4 mimic tours , IP65 rated, UTP, Coax and 485	<b>HD8EXGCM18WX</b>	
<b>JVC</b>	<b>1/4" CCD PROGRAMMABLE COLOUR/MONO DOME CAMERA</b> (Clear Cover) 540 TV lines-1.8 lux in colour,0.075 lux in B&W mode-Day/Night surveillance with auto IR filter- Auto trace/A pan/A patrol/A return-12x Zoom lens-360 degree endless rotation,180 degree auto flip.	<b>TK-C625E</b>	
<b>JVC</b>	<b>1/4" CCD PROGRAMMABLE DAY/NIGHT DOME CAMERA</b> (Clear Cover) 480 TV lines • 0.5 lux in Colour,0.015 lux in B&W Mode • Extended Dynamic Range+ Return to Home.l• Lens 25 x zoom 3.8 - 95mm • Power requirement 24V AC •	<b>TK-C655E(B)</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

## 2. FULLY FUNCTIONAL DOMES

	<b>1/4" CCD PROGRAMMABLE DOME COLOUR / MONO CAMERA</b> (Clear Cover) 480 TV lines • 0.5 lux Colour Mode • Extended Dynamic Range+ Return to Home. IR switching Capability • Lens 27 x zoom 3.8 - 103mm • Power requirement 24V AC •	TK-C676E(B)	
--	--	-------------	--

### ACCESSORIES - Domes

	<b>Power Supply for 2040 Dome</b>	DM/94012	
	<b>2060 Accessory</b> Tile Mount	DM/90001	
	<b>2060 Accessory</b> Wall/Pendant Mount	DM/90002	
	<b>2060 Accessory</b> Pendant mount - please state length.	DM/90003	
	<b>2060 Accessory</b> Snowdrop Mount	DM/90004	
	<b>2060 Accessory</b> Vintage style wall mount for 2050 Dome	DM/90005	
	<b>2060 Accessory</b> Ceiling Mount Plate	DM/90006	
	<b>2060 Accessory</b> Corner Bracket to convert existing wall bracket.	DM/90007	
	<b>2060 Accessory</b> Extended Corner Bracket	DM/90008	
	<b>2060 Accessory</b> Extended Wall Mount	DM/90009	
	<b>2060 Accessory</b> DRX100 Recv & P/Supply for 2050 in we/proof box	DM/DRX100PSU	
	<b>2060 Accessory</b> Demo case inc mounting bracket & P/Supply for 2060	DM/94016	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>GANZ</b>	Pendant bracket for internal PTZ dome	C-D11-PM	
<b>GANZ</b>	Corner bracket for internal PTZ dome	C-D11-CB	
<b>GANZ</b>	Wall bracket for internal PTZ dome	C-D11-WB	
<b>Honeywell</b>	<b>KD6 Internal Recommended Power Supply</b> 240V/24V AC 1A output, for internal use, used on KD6 and Orbiter internal SPEED Domes and static domes	HPTV2401D	
<b>Honeywell</b>	<b>KD6 Pole mount adaptor</b> for DWM-19S	PMA-18/BS	
<b>Honeywell</b>	<b>External Speed Dome Power Supply</b> 230/24V AC, 3A(75VA) Total, 1x1A, 1x2A outputs for external SPEED DOME and heater, mains indicator, power on/off, fuse block, data, BNC in/out, lightening protection, push outs 20, 25, 32. 40mm	HPTV2402DWP	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER HOUSINGS</b> Optional cage to protect acrylic for vandal resistant housing kits only	H8E-VRHCA	
<b>Honeywell</b>	<b>KD6 Wall mount bracket</b> for external applications without support arm	MDW1210W	
<b>Honeywell</b>	<b>Vandal resistant retrofit cage</b> for all wall, pole and soffit mount housings	H8E-VRC	
<b>Honeywell</b>	<b>KD6 Ceiling mount bracket</b> for external applications 350 mm	DPM-15	
<b>Honeywell</b>	<b>KD6 Universal ceiling mount bracket</b> for internal applications 300 mm black	UPMB1	
<b>Honeywell</b>	<b>KD6 Corner mount adaptor</b> for DWM-19S	CMA18	
<b>Honeywell</b>	<b>KD6 Wall mount bracket</b> for external applications 340 mm with support arm	DWM-19/S	
<b>Honeywell</b>	<b>KD6 Internal Recommended Power Supply</b> 230V/24V AC 8 individually fused 1A outputs, for internal use, used on KD6 and Orbiter internal SPEED Domes and static domes	HPTV2408-1D	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>External KD6 PSU</b> 240v or 110v input - 24v output 4amp. With built in surge protection.	<b>KZ0224UW</b>	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER HOUSINGS</b> Vandal resistant ceiling mount housing kit (excludes camera inner and cage)	<b>H8E-VRHCK</b>	
<b>Honeywell</b>	<b>Nitrogen regulator kit for use with HD6</b> pressurised dome.	<b>AM001NRK</b>	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER HOUSINGS</b> Vandal resistant wall mount housing kit (excludes camera inner and cage)	<b>H8E-VRHVK</b>	
<b>Honeywell</b>	<b>VANDAL RESISTANT ORBITER HOUSINGS</b> Vandal resistant corner mount housing kit (excludes camera inner and cage)	<b>H8E-VRHCB</b>	
<b>Honeywell</b>	<b>HRHD DVR and Multiplexer Keyboard</b> Controls KD6 and Orbiter domes	<b>HJZTPX</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 80mm plug & play ceiling mounting pole	<b>H5N-80</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 300mm plug & play mounting pole including built in NVT	<b>H5N-300</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 600mm plug & play mounting pole including built in NVT	<b>H5N-600</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 900mm plug & play mounting pole including built in NVT	<b>H5N-900</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 1200mm plug & play mounting pole including built in NVT	<b>H5N-1200</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 1800mm plug & play mounting pole including built in NVT	<b>H5N-1800</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> 3000mm plug & play mounting pole including built in NVT	<b>H5N-3000</b>	
<b>Honeywell</b>	<b>Mount Option - Internal 5" &amp; 8"</b> Orbiter Wall bracket, plug & play with built in UTP	<b>H5N-WB</b>	

# CCTV



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>Honeywell</b>	<b>Orbiter Heavy duty pole mount</b> 1.5" pole, mounting to 101.1pcd, 8.5mm holes x 4 positions	HOU0054-00	
<b>Honeywell</b>	<b>External Microsphere Accessory</b> Orbiter Corner bracket adapter for wall mount 8" external Microspheres, grey	H8E-CB	
<b>Honeywell</b>	<b>External Microsphere Accessory</b> Orbiter Corner bracket adapter for Regent mount	H8ER-CB	
<b>Honeywell</b>	<b>Internal Mount Option</b> 80mm plug & play ceiling mounting pole	H5N-80	
<b>Honeywell</b>	<b>Internal Mount Option</b> 300mm plug & play mounting pole including built in NVT	H5N-300	
<b>Honeywell</b>	<b>Internal Mount Option</b> 600mm plug & play mounting pole including built in NVT	H5N-600	
<b>Honeywell</b>	<b>Internal Mount Option</b> 900mm plug & play mounting pole including built in NVT	H5N-900	
<b>Honeywell</b>	<b>Internal Mount Option</b> 1200mm plug & play mounting pole including built in NVT	H5N-1200	
<b>Honeywell</b>	<b>Internal Mount Option</b> 1800mm plug & play mounting pole including built in NVT	H5N-1800	
<b>Honeywell</b>	<b>Internal Mount Option</b> 3000mm plug & play mounting pole including built in NVT	H5N-3000	
<b>Honeywell</b>	<b>Speed Dome Keyboard</b> HRHD DVR and Multiplexer Keyboard, Controls KD6 and Orbiter domes	HJZTPX	
<b>JVC</b>	<b>Corner Mount</b> for WB-S150 / 40 Housing	BK-WBCM	
<b>JVC</b>	<b>Ceiling mount adaptor</b> for TK-C676E(B)/TK-C655E(B)/VN-C655E/TK-C625E/VN-C625E.	WB-S623U	
<b>JVC</b>	<b>Recess adaptor</b> or -TK-C625E/VN-C625E	WB-S625U	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>2. FULLY FUNCTIONAL DOMES</b>			
<b>JVC</b>	<b>Universal Pole Mount</b> for WB-S150 / 40 Housing	<b>BK-WBUPA</b>	
<b>JVC</b>	<b>Pendant Mount</b> for WB-S150 / 40 Housing	<b>BK-WBPM</b>	
<b>JVC</b>	<b>Wall mount adaptor</b> for -TK-C676E(B)/TK-C655E(B)/VN-C655E/TK-C625E/VN-C625E/TK-C205E(A)	<b>WB-S622U</b>	
<b>JVC</b>	<b>Recess ceiling adaptor</b> for -TK-C676E(B)/TK-C655E(B).	<b>WB-S575U</b>	
<b>JVC</b>	<b>Pendant mount adaptor</b> for TK-C625E/VN-C625E/TK-C205E(A)	<b>WB-S621U</b>	
<b>JVC</b>	<b>Swan Neck Pole Mount</b> for WB-S150 / 40 Housing	<b>BK-WBSN</b>	
<b>JVC</b>	<b>External housing</b> for -TK-C625E/VN-C625E	<b>WB-S1540</b>	
<b>JVC</b>	<b>External housing</b> for -TK-C676E(B)/TK-C655E(B)/VN-C655E	<b>WB-S1550</b>	
<b>JVC</b>	<b>Dome Camera Controller</b> (Up to 8 Cameras)	<b>RM-P2580E</b>	
<b>SAMSUNG</b>	<b>Wall Bracket</b> for STH-160PO/STH-160PI	<b>STB-270PW</b>	
<b>SAMSUNG</b>	<b>Ceiling Bracket</b> or STH-160PO/STH-160PI	<b>STB-496PP</b>	
<b>SAMSUNG</b>	<b>Embedded Housing</b> for SPD-2200	<b>STH-128PE</b>	
<b>SAMSUNG</b>	<b>Indoor Housing</b> for SPD-2200	<b>STH-160PI</b>	
<b>SAMSUNG</b>	<b>External Housing for SPD-2200</b> Vandal Resistance	<b>STH-160PO</b>	