

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
MANUAL IRIS LENSES			
	1/3" varifocal, 3.0-8mm F1.4 with focus/iris, IR corrected. CS-Mount	L308VCSIR	
	1/3" CS-M 8.0mm F1.2-16C Manual Focus Manual Iris	T0812FICS	
	1/3" CS-M 4.0mm F1.2-16C Manual Focus Manual Iris	T0412FICS	
	1/2" 4-12mm F/1.2, Manual Iris, Aspherical, IR (C-Mount). IR Corrected. 1. Zero focus shift between day time and Infrared 2. Corresponding with 1/2" D/N Cameras 3. Very Fast F no. which is F/1.2 4. Incorporates Aspherical Element 5. Consistent with RoHS Directive	12VM412ASIR	
	8mm, f1.2, 1/3", CS, MI	C70807	
	1/3" CS-M 3.5 - 8.0mm F1.4 - C Varifocal Manual	TG2Z3514FCS	
	1/3" 2.8-12mm F/1.4, Manual Iris, Aspherical (CS-Mount) 1. Single Lens Covering 2.8mm to 12mm 2. Incorporates Aspherical Element 3. Super Wide Angle (Close to 100 degrees) 4. Consistent with RoHS Directive	13VM2812AS	
	1/2" 10-40mm F/1.4, Manual Iris, Aspherical, IR (C-Mount). IR Corrected. 1. Zero focus shift between day time and Infrared 2. Corresponding with 1/2" D/N Cameras 3. Compact 4x Vari-Focal D/N Lens 4. Incorporates Aspherical Element 5. Consistent with RoHS Directive	12VM1040ASIR	
	3.5-8mm, f1.4, 1/3" CS, MI, day/night	C70313	
	1/3" CS-M 3.5 - 10.5mm F1.0 - C Aspherical Varifocal Manual	TG3Z3510FCS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
TAMRON	1/3" 2.8-11mm F/1.4, Manual Iris, Aspherical, IR (CS-Mount), IR Corrected. 1. Zero focus shift between day time and Infrared 2. Incorporates Aspherical Element 3. Super Wide Angle (Close to 100 degrees) 4. Consistent with RoHS Directive	13VM2811ASIR	
computar	1/3" CS-M 2.8 - 12.0mm F1.3 - C Aspherical Varifocal Manual	2813CS	
computar	1/3" CS-M 2.7 - 8.0mm F1.0 - C Aspherical Varifocal Manual	2719CS	
TAMRON	1/2" 4-12mm F/1.2, Manual Iris, Aspherical, IR (C-Mount), IR Corrected. 1. Zero focus shift between day time and Infrared 2. Corresponding with 1/2" D/N Cameras 3. Very Fast F no. which is F/1.2 4. Incorporates Aspherical Element 5. Consistent with RoHS Directive	12VM412ASIR	
TAMRON	1/3" 5-50mm F/1.4, Manual Iris, Aspherical (CS-Mount) 1. Compact 10x Vari-Focal lens (Lens Length is 59.2mm) 2. Incorporates Two Aspherical Elements 3. Low Distortion 4. Consistent with RoHS Directive	13VM550T	
TAMRON	1/3" 20-100mm F/1.6, Manual Iris, Aspherical (CS-Mount) 1. Ultra Tele-Photo Lens (20-100mm) 2. 5x Vari-Focal Lens 3. Incorporates Aspherical Element 4. Consistent with RoHS Directive	13VM20100AS	
TAMRON	1/3" 10-40mm F/1.4, Manual Iris, Aspherical, IR (CS-Mount), IR Corrected. 1. Zero focus shift between day time and Infrared 2. Compact 4x Vari-Focal D/N Lens 3. Incorporates Aspherical Element 4. Consistent with RoHS Directive	13VM1040ASIR	
TAMRON	1/2" 10-40mm F/1.4, Manual Iris, Aspherical, IR (C-Mount), IR Corrected. 1. Zero focus shift between day time and Infrared 2. Corresponding with 1/2" D/N Cameras 3. Compact 4x Vari-Focal D/N Lens 4. Incorporates Aspherical Element 5. Consistent with RoHS Directive	12VM1040ASIR	
computar	1/2" CS-M 4.5 - 12.5mm F1.2 - C Aspherical Varifocal Manual	4512CS	
computar	1/3" CS-M 5.0 - 50.0mm F1.3 - C Aspherical Varifocal Manual	TG10Z0513FCS	
computar	1/3" CS-M 10.0 - 30.0mm Linear Varifocal Manual	F1.4 - C TG3Z1014FCS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
AUTO IRIS LENSES			
	1/3" varifocal 3.0-8mm F1.4, IR corrected, Auto Iris (Direct Drive)	L308VDC4PIR	
	1/3" 3.0-8mm F/1.0, DC Auto Iris, Aspherical (CS-Mount) 1. Super Wide Dynamic Aperture Range (F/1.0-360) 2. Super High Resolution 3. Incorporates Aspherical Element 4. Optimal Angle of View (More than 90 degrees) 5. Ultra Compact Design (Lens Length is 40.2mm) 6. Consistent with RoHS Directive	13VG308AS	
	Lens 1/3", 8mm F1.2, DC Auto Iris Lens, long lead fitted, CS mount	ALD0812L	
	1/3" 2.2mm F/1.2, DC Auto Iris, IR (CS-Mount). IR Corrected. 1. Zero focus shift between day time and Infrared 2. Ultra Wide Angle f=2.2mm (More than 118 degrees) 3. Very Fast F no. (F/1.2). 4. Consistent with RoHS Directive	13FG22IR	
	Lens 1/3", 2.9-8mm F1.3, Day / Night, Varifocal, DC Auto Iris Lens, long lead fitted, colour & IR corrected, CS mount	HLD29V8DNL	
	1/3" varifocal 2.7-12mm F1.4, IR corrected, aspheric, Auto Iris (Direct Drive)	L212AVDC4PIR	
	1/3" CS-M 8.0mm F1.2-360 Manual Focus Direct	TG0812FCS	
	Lens 1/3", 4mm F1.2, DC Auto Iris Lens, long lead fitted, CS mount	ALD0412L	
	1/3" CS-M 3.5 - 8.0mm F1.4 - 360 Varifocal Direct	TG223514FCS	
	1/3" CS-M 4.0mm F1.2-360 Manual Focus Direct	TG0412FCS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
Honeywell	Lens 1/3", 2.8mm F1.3, DC Auto Iris Lens, long lead fitted, CS mount	ALD02812L	
TAMRON	1/3" 2.8-12mm F/1.4, DC Auto Iris, Aspherical (CS-Mount) 1. Single Lens Covering 2.8mm to 12mm 2. Incorporates Aspherical Element 3. Super Wide Angle (Close to 100 degrees) 4. Consistent with RoHS Directive	13VG2812AS	
Honeywell	Lens 1/3", 2.9-8mm F0.95, Varifocal, DC Auto Iris Lens, long lead fitted, CS mount	HLD29V8F95L	
computar	1/3" CS-M 3.5 - 10.5mm F1.0 - 360 Aspherical Varifocal Direct	TG3Z3510FCS	
TAMRON	1/3" 2.8-11mm F/1.4, DC Auto Iris, Aspherical, IR (CS-Mount). IR Corrected. 1. Zero focus shift between day time and Infrared 2. Incorporates Aspherical Element 3. Super Wide Angle (Close to 100 degrees) 4. Consistent with RoHS Directive	13VG2811ASIR	
Rainbow CCTV	1/3" varifocal 5-50mm F1.45, Auto Iris (Direct Drive)	L550VDC4P	
TAMRON	1/2" 4-12mm F/1.2, DC Auto Iris, Aspherical, IR (C-Mount) 1. Zero focus shift between day time and Infrared 2. Corresponding with 1/2" D/N Cameras 3. Very Fast F no. which is F/1.2 4. Incorporates Aspherical Element 5. Consistent with RoHS Directive	12VG412ASIR	
computar	1/3" CS-M 2.8 - 12.0mm F1.3 - 360 Aspherical Varifocal Direct	TG4Z2813FCS	
Honeywell	Lens 1/3", 2.7-13.5mm F1.3, Day / Night, Varifocal, DC Auto Iris Lens, long lead fitted, colour & IR corrected, CS mount	HLD27V13DNL	
TAMRON	1/3" 20-100mm F/1.6, DC Auto Iris, Aspherical (CS-Mount) 1. Ultra Tele-Photo Lens (20-100mm) 2. 5x Vari-Focal Lens 3. Incorporates Aspherical Element 4. Consistent with RoHS Directive	13VG20100AS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
TAMRON	1/3" 10-40mm F/1.4, DC Auto Iris, Aspherical, IR (CS-Mount), IR Corrected. 1. Zero focus shift between day time and Infrared 2. Compact 4x Vari-Focal D/N Lens 3. Incorporates Aspherical Element 4. Consistent with RoHS Directive	13VG1040ASIR	
AUTO IRIS LENSES			
TAMRON	1/2" 10-40mm F/1.4, DC Auto Iris, Aspherical, IR (C-Mount) 1. Zero focus shift between day time and Infrared 2. Corresponding with 1/2" D/N Cameras 3. Very Fast F no. which is F/1.2 4. Incorporates Aspherical Element 5. Consistent with RoHS Directive	12VG1040ASIR	
TAMRON	1/3" 5-50mm F/1.4, DC Auto Iris, Aspherical (CS-Mount) 1. Compact 10x Vari-Focal lens (Lens Length is 59.2mm) 2. Incorporates Two Aspherical Elements 3. Low Distortion 4. Consistent with RoHS Directive	13VG550T	
computar	1/3" CS-M 2.7 - 8.0mm F1.0 - 360 Aspherical Varifocal Direct	TG3Z2710FCS	
PENTAX	6-12mm, f1.6, 1/2" CS, day/night, pana plug, DD	C60635FQ	
Honeywell	Lens 1/3", 5-50mm F1.3, Day / Night, Varifocal, DC Auto Iris Lens, long lead fitted, colour & IR corrected, CS mount	HLD5V50DNL	
computar	1/3" CS-M 3.5 - 10.5mm F1.0 - 360 Aspherical Varifocal Direct IR Pass Optics	TG3Z3510FCS-IR	
Honeywell	Lens 1/3", 5-50mm F1.3, Varifocal, DC Auto Iris Lens, long lead fitted, CS mount	HLD5V50F13L	
computar	1/3" CS-M 5.0 - 50.0mm F1.3 - 360 Aspherical Varifocal Direct	TG10Z0513FCS	
computar	1/3" CS-M 8.5 - 40.0mm F1.3 - 360 Aspherical Varifocal Direct IR Pass Optics	TG5Z8513FCS-IR	
computar	1/2" CS-M 4.5 - 12.5mm F1.2 - 360 Aspherical Varifocal Direct	4512FCS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
computar.	1/2" CS-M 4.5 - 12.5mm F1.2 - 360 Aspherical Varifocal Direct IR Pass Optics	4512FCS-IR	
computar.	1/3" CS-M 10.0 - 30.0mm F1.4 - 360 Linear Varifocal Direct	TG3Z1014FCS	
AUTO IRIS ZOOM LENS			
computar.	1/2" C 6:1 8.0-48.0mm F1.2-560 Motorised Zoom Direct With Spot Filter	Z0812DC	
computar.	1/3" CS-M 6:1 5.7-34.2mm F1.0-360 Motorised Zoom Direct with Spot Filter	Z5710DC-CS	
computar.	1/3" CS-M 21:1 5.8-121.8mm F1.6-560 Motorised Zoom Direct with Spot Filter	Z5816DC-CS	
PENTAX	8-120mm, f1.6-1000 1/2", C, AI, motorized zoom + presets 15x (fast)	C60831WQ	
computar.	1/2" C 16:1 7.5-120.0mm F1.6-560 Motorised Zoom Video IR Pass Optics	7516AMS-IR	
PENTAX	12-240mm f1.6-720, 1/2", C, AI, motorized zoom + presets 20x (fast)	C61241WQ	
LENS ACCESSORIES			
computar.	C-CS Mount Converter (5mm Extension Ring)	VM400	
computar.	Dummy Lens	DL00	
PENTAX	Dummy lens, auto iris type	C80040	
computar.	C-Mount 1.5x Extender	EX1.5C	

CCTV



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
4. LENSES			
computar.	C-Mount 2.0x Extender	EX2.0C	
computar.	CS-Mount 1.5x Extender	EX1.5CS	
LENS ACCESSORIES			
computar.	CS-Mount 2.0x Extender	EX2.0CS	
computar.	Up to 55mm in Holders	FILTER-ND1	
computar.	Up to 55mm in Holders	FILTER-ND3	
computar.	Up to 55mm in Holders	FILTER-IR-PASS	
computar.	Up to 55mm in Holders	FILTER-POLAR	
PENTAX	2 x range extender C mount	C80001	
computar.	Up to 55mm in Holders	FILTER-IR-CUT	
computar.	View Finder	VM300	