

# CCTV



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>5. MONITORS, DISPLAYS</b>			
<b>CRT MONITORS - BLACK &amp; WHITE</b>			
<b>Honeywell</b>	<b>9" Monochrome CCTV Monitor</b> 800+ lines, metal case, loop through, 90-260VAC, EIA/CCIR, Black	<b>HMM9</b>	
<b>SANYO</b>	<b>9" Monochrome CCTV Monitor</b> 900 lines, metal case, loop through, 230VAC, cream	<b>VM6609P</b>	
<b>Honeywell</b>	<b>12" Monochrome CCTV Monitor</b> 1000+ lines, metal case, loop through, 90-260VAC, EIA/CCIR, Black	<b>HMM12</b>	
<b>SANYO</b>	<b>12" Monochrome CCTV Monitor</b> 900 lines, metal case, loop through, 230VAC, cream	<b>VM6612P</b>	
<b>SANYO</b>	<b>15" Monochrome CCTV Monitor</b> 850 tvl, metal case, loop through, 230VAC, cream	<b>VM6615P</b>	
<b>SANYO</b>	<b>20" Monochrome CCTV Monitor</b> 1000+ lines, metal case, loop through, 100-240VAC	<b>VM-6620P</b>	
<b>CRT MONITORS - COLOUR</b>			
<b>Honeywell</b>	<b>9" Colour CCTV Monitor</b> 300 lines, metal case, Y/C, loop through, audio, 90-260VAC, PAL/NTSC, Black	<b>HMC9</b>	
<b>JVC</b>	<b>10" Colour CCTV Monitor</b> 300 lines, metal case, audio, menu, 230VAC, grey, with black front	<b>TM-A101GE</b>	
<b>SANYO</b>	<b>14" Colour CCTV Monitor</b> 400 lines, plastic case, osd, audio, grey	<b>VMC7314P</b>	
<b>SAMSUNG</b>	<b>14" Colour CCTV Monitor</b> metal case 230VAC	360 lines <b>SAM-14M</b>	
<b>JVC</b>	<b>14" Colour CCTV Monitor</b> 320 lines, plastic case, Y/C, loop through, audio speaker, PAL/NTSC, 2 channel, grey	<b>TM-A14PNK</b>	
<b>Honeywell</b>	<b>14" Colour CCTV Monitor</b> metal case, Y/C, loop through, audio, 90-260VAC, PAL/NTSC, Black	400 lines, <b>HMC14</b>	

# CCTV



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>5. MONITORS, DISPLAYS</b>			
<b>CRT MONITORS - COLOUR</b>			
	<b>15" Colour CCTV Monitor</b> 800 tvl, metal case, Y/C, audio, 90-264VAC, grey	<b>VMC8415FP</b>	
	<b>15" Flat Color Monitor</b> 400TVLines, NTSC/PAL Multi-System, 2BNC, 1VCR, Automatic 75ohm Termination, Auto Sequential Swiching	<b>SQ-SMC-152FP</b>	
	<b>15" Colour CCTV Monitor</b> 750 lines, metal case, Y/C, audio, PAL/NTSC, 2 channel, grey	<b>TM-H150CG</b>	
	<b>17" Colour CCTV Monitor</b> 1,000 TVL METAL 230VAC	<b>SAM-21M</b>	
	<b>17" Colour CCTV Monitor</b> 750 lines, menu, metal case, Y/C, audio, underscan, remote con, PAL/NTSC, 2 channel, grey	<b>TM-A170G</b>	
	<b>19" Colour CCTV Monitor</b> 800+ lines, metal case, loop through, Y/C, 100-240VAC, 2 channel, grey	<b>VMC-8619P</b>	
	<b>19" Colour CCTV Monitor</b> 750 lines, menu, metal case, Y/C, audio, underscan, remote con, PAL/NTSC, 2 channel, grey	<b>TM-H1900GE</b>	
	<b>21" Colour CCTV Monitor</b> 400 lines, plastic case, osd, audio, grey	<b>VMC7321P</b>	
	<b>21" Flat Color Monitor</b> , 500TVLines, NTSC/PAL Multi-System, 2BNC, 1VCR, Automatic 75ohm Termination, Auto Sequential Swiching	<b>SQ-SMC-210FP</b>	
	<b>21" Colour CCTV Monitor</b> 450 lines, metal case, loop through, audio, Y/C, OSD, 90-260VAC, PAL/NTSC, Grey	<b>HMC21X</b>	
	<b>21" Colour CCTV Monitor</b> 450 lines, menu, metal case, Y/C, audio, PAL/NTSC, 2 channel, grey	<b>TM-A210G</b>	
	<b>25" Colour CCTV Monitor</b> 400 lines, plastic case, osd, audio, grey	<b>VMC7325P</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>5. MONITORS, DISPLAYS</b>			
	<b>28" Colour CCTV Monitor</b> 400 lines, plastic case, osd, audio, grey	<b>VMC7328P</b>	
<b>LCD / TFT</b>			
	<b>Digital Signal Synchroniser</b> Use with TFT's to eliminates picture roll when switched + PSU	<b>HMDSS</b>	
	<b>15" TFT Monitor, 1024x768 Resolution</b> 16ms response time, SVGA / DVI-D / BNC Input with loop through, Glass NeoV Optical Filter screen	<b>SX-15</b>	
	<b>15" LCD monitor</b> PAL/NTSC, S-Video, VGA inputs with audio (res 1024 x 768)	<b>HMLCD15</b>	
	<b>15" TFT LCD video monitor</b> 1024 x 768 pixels, 2 video, 1 pc input , 130 deg viewing angle	<b>LM15G</b>	
	<b>LCD 17" Standard Monitor</b>	<b>LCD-217S</b>	
	<b>17" TFT Monitor, 1280x1024 Resolution</b> 25ms response time, SVGA / DVI-D / BNC Input with loop through, Glass NeoV Optical Filter screen	<b>SX-17</b>	
	<b>17" TFT LCD Monitor</b> 8ms Response Time, 700:1 Contrast Ratio, 300cd/m2 Brightness, 3D Comb filter, De-Interlace, CTI, Noise Reduction, 2D Peaking	<b>SQ-SMT-171P</b>	
	<b>LCD Monitor, Colour, 17" E-series</b> PAL/NTSC, VGA input, 1 Comp Input, 1 Comp Output, 1 Audio Input(RCA), 1 Audio output(RCA), 1 x PC Audio input (3.5mm Jack), (Res 1280 x 1024)	<b>HMLCD17E</b>	
	<b>17" TFT LCD video monitor</b> 1280x1024 pixels, 2 video, 1 PC, 170 degree viewing angle	<b>LM17G</b>	
	<b>LCD Monitor, Colour, 17" System series</b> PAL/NTSC, VGA input, 2 Comp Input, 2 Comp Output, 2 Audio Input(RCA), 2 Audio output(RCA), 1 x PC Audio input (3.5mm Jack), S-Video, (Res 1280 x 1024)	<b>HMLCD17S</b>	
	<b>LCD 19" Standard Monitor</b>	<b>LCD-219S</b>	

**PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS**

Vendor	Description	ADI Part Number
--------	-------------	-----------------

## 5. MONITORS, DISPLAYS

	<b>19" TFT Monitor, 1280x1024 Resolution</b> 25ms response time, SVGA / DVI-D / and BNC Input with loop through, Glass NeoV Optical Filter screen	<b>SX-19</b>	
	<b>19" TFT LCD Monitor</b> 8ms Response Time, 700:1 Contrast Ratio, 300cd/m2 Brightness, 3D Comb filter, De-Interlace, CTI, Noise Reduction, 2D Peaking	<b>SQ-SMT-190P</b>	
	<b>17" Flat Screen Color Monitor / DVR</b> M-JPEG Compression with 25 fps. Fully integrated Operational Digital Recorder, (Mux, DVR and TFT LCD Display All-in-One. 80GB Hard Disk (expandable up to 300GB). Embedded OS	<b>3D-DM17TSP</b>	
	<b>LCD Monitor, Colour, 19" E-series</b> PAL/NTSC, VGA input, 1 Comp Input, 1 Comp Output, 1 Audio Input(RCA), 1 Audio output(RCA), 1 x PC Audio input (3.5mm Jack), (Res 1280 x 1024)	<b>HMLCD19E</b>	
	<b>LCD Monitor, Colour, 19" System series</b> PAL/NTSC, VGA input, 2 Comp Input, 2 Comp Output, 2 Audio Input(RCA), 2 Audio output(RCA), 1 x PC Audio input (3.5mm Jack), S-Video, (Res 1280 x 1024)	<b>HMLCD19S</b>	

## MONITOR & DISPLAY BRACKETS

	<b>TVM13 PRO</b> 13" TV Double Swivel/Tilt Mount - Black Only	<b>30-TVM13 PRO</b>	
	<b>Monitor Bracket</b> Wall mounting bracket suitable for Honeywell TFT monitor HMLCD15	<b>HMLCD15WMB</b>	
	<b>TVMUCM-A</b> TVM Pro Component Mount Kit - Accessory - Black Only For under-mounting of VCR / DVR / DVD player	<b>30-TVMUCM-A</b>	
	<b>17FM-F</b> 17" Fast Mount Fixed - Silver Only	<b>30-17FM-F</b>	
	<b>17FM-T</b> 17" Fast Mount Tilt- Silver Only	<b>30-17FM-T</b>	
	<b>TVM21PRO</b> 21" TV Double Swivel/Tilt Mount - Black Only	<b>30-TVM21PRO</b>	
	<b>Fixed Wall Mount Bracket</b> for 17" and 19" LCD Monitor	<b>HMLCDFM</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>5. MONITORS, DISPLAYS</b>			
<b>Honeywell</b>	<b>Ceiling Mount Bracket</b> for 17" and 19" LCD Monitor	<b>HMLCDCM</b>	
	<b>17ARM</b> 17" Articulated Retractable Mount - Silver Only	<b>30-17ARM</b>	
<b>Honeywell</b>	<b>Adjustable Arm Mount Bracket</b> for 17" and 19" LCD Monitor	<b>HMLCDARM</b>	
	<b>17HDARM-S</b> 17" HD Articulated Retractable Mount - Silver	<b>30-17HDARM-S</b>	
	<b>37FM-F-S</b> 37" Fast Mount Fixed - Silver	<b>30-37FM-F-S</b>	
	<b>37FBRR-F-S</b> 37" Fastback Fixed - Silver (Assembled)	<b>30-37FBRR-F-S</b>	
	<b>37FBRR-T-S</b> 37" Fastback Tilt - Silver (Assembled)	<b>30-37FBRR-T-S</b>	
	<b>37FBHD-F</b> 37" Fastback HD Fixed - Silver Only	<b>30-37FBHD-F</b>	
	<b>37FBHD-T</b> 37" Fastback HD Tilt - Silver Only	<b>30-37FBHD-T</b>	
	<b>37ARM-S</b> 37" Articulated Retractable Mount - Silver	<b>30-37ARM-S</b>	
	<b>37HDARM-S</b> 37" HD Articulated Retractable Mount - Silver	<b>30-37HDARM-S</b>	
	<b>48ARMUA-S</b> 48" Articulated Retractable Mount w/48" UAA-A - Silver	<b>30-48ARMUA-S</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------














## 5. MONITORS, DISPLAYS

	<b>54FBRR-F-S</b> 54" Fastback Fixed - Silver (Assembled)	<b>30-54FBRR-F-S</b>	
	<b>54FBRR-T-S</b> 54" Fastback Tilt - Silver (Assembled)	<b>30-54FBRR-T-S</b>	
	<b>54FBHD-F-S</b> 54" Fastback HD Fixed - Silver	<b>30-54FBHD-F-S</b>	
	<b>54HDARM-S</b> 54" HD Articulated Retractable Mount - Silver	<b>30-54HDARM-S</b>	
	<b>54HDARMUA-S</b> 54" HD Articulated Retractable Mount w/63" UCA-A - Silver	<b>30-54HDARMUA-S</b>	
	<b>63FBRK-A-S</b> 63" Fastback Rail Kit for 54FB F&T - Silver	<b>30-63FBRK-A-S</b>	
	<b>63FBXT-A-S</b> 63" Extension Kit for 54HD-F only - Silver	<b>30-63FBXT-A-S</b>	
	<b>63FBHD-T-S</b> 63" Fastback HD Tilt - Silver	<b>30-63FBHD-T-S</b>	
	<b>63HDARMUA-S</b> 63" HD Articulated Retractable Mount w/63" UCA-A - Silver	<b>30-63HDARMUA-S</b>	

## FLAT PANEL ADAPTER PLATES

	<b>48UAA-A-S</b> 48" (Med/Lg) Universal Adjustable Adapter - Silver	<b>30-48UAA-A-S</b>	
	<b>48UCA-A-S</b> 48" (Med/Lg) Universal Centering Adapter - Silver	<b>30-48UCA-A-S</b>	
	<b>63UCA-A-S</b> 63" (Lg/XL) Universal Centering Adapter - Silver	<b>30-63UCA-A-S</b>	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
<b>5. MONITORS, DISPLAYS</b>			
<b>TEST MONITORS</b>			
	<b>Signal converter</b> Converts PAL video to TV tuneable UHF signal 12vDC 185mA Channels 21-69	<b>EZ-MOD</b>	
	<b>Spare Battery Charger</b>	<b>PSM012-CH</b>	
	<b>Spare Battery Pack</b>	<b>PSM012-BP</b>	
	<b>LCD 4.0" Colour TFT</b> 480H x 234V metal case image reverse audio	<b>LCD400</b>	
	<b>LCD 5.6" Colour TFT</b> 720H x 234V polymer case	<b>LCD562</b>	
	<b>LCD 6.8" colour TFT</b> 1125H x 234V metal case image reverse (H/V)	<b>LCD680</b>	
	<b>4" B&amp;W Portable Service Monitor</b> with Battery Pack/Charger/Case	<b>PSM012</b>	
	<b>2.47" Colour Portable Service Monitor LCD</b> with power supply, bag & belt	<b>PSM025-P</b>	