

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
11. IR LIGHTING AND SOLUTIONS			
IR LIGHTING EQUIPMENT			
	230V I/P 12V O/P PSU for 880 Microlight(20 or 50W)	DM/880/PSU	
	Photo-Electric Switch for 2020 300Watts	DM/888/25-2020-300	
	Photoelectric switch & loom 500W 2020 illuminator	DM/888/25-2020-500	
	Bullet 37mm White Led lamp assembly IP67	P37L	
	Bullet style housing,60mm 36 LEDs, 850nm, 360mA	P60L	
	Indoor IR Illuminator	ZVA-IRLED	
	IR bullet, semi-visible 850nm, 30 deg Medium beam, weatherproof housing (IP66), photocell controlled, 12/24V	BIR2385	
	IR bullet, covert 940nm, 30 deg Medium beam, weatherproof housing (IP66), photocell controlled, 12/24V	BIR2394	
	LOW POWER 12V IR ILLUMINATORS COMPLETE WITH BULB. Microlight 12V 50W narr bm IR illuminator/715Filtr. Available with 715nm or 830nm filters	DM/880N50715	
	LOW POWER 12V IR ILLUMINATORS COMPLETE WITH BULB. Microlight 12V 50W med bm IR illuminator/715Filter. Available with 715nm or 830nm filters	DM/880M50715	
	Photoelec switch & 880(50W) PSU weatherproof J-box	DM/888/2	
	Miniflood 100, 70W 12VDC, narrow 10o lens (20o useable), 730nm filter	MF100/10/730	
	Miniflood 100, 70W 12VDC, medium 30o lens (45o useable), 730nm filter	MF100/30/730	

ADI is a trade name of Honeywell Video Systems (UK) Ltd
ADI reserves the right for data changes and/or printing errors

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
	Miniflood 100, 70W 12VDC, wide 60o lens, 730nm filter	MF100/60/730	
	Cube LED short range, solid state illuminator, 60 degree wide, 850nm, 12/24V	MICROLED.850W	
	CubeLED short range, solid state illuminator, 30 degree wide, 850nm, 12/24V	MICROLED.850M	
	Miniflood LED 850nm incl. photocell - wide 60 deg, 12V-24VAC or DC; up to 10m	MFLED60/850	
	Miniflood LED 850nm incl. photocell - medium 30o (useable 45o) 12-24VAC or DC; up to 20m	MFLED30/850	
	MEDIUM POWER IR ILLUMINATORS - 300 WATT COMPLETE WITH BULB IR illuminator 300W-Narr beam/photocell/715 Filter. 2020 Lamps are now supplied with a fitted Stoneguard as standard	DM/2020-300N715	
	MEDIUM POWER IR ILLUMINATORS - 300 WATT COMPLETE WITH BULB. IR illuminator 300W-Med. beam/photocell/715 Filter. 2020 Lamps are now supplied with a fitted Stoneguard as standard	DM/2020-300M715	
	MEDIUM POWER IR ILLUMINATORS - 300 WATT COMPLETE WITH BULB IR illuminator 300W-Wide beam/photocell/715 Filter. 2020 Lamps are now supplied with a fitted Stoneguard as standard	DM/2020-300W715	
	Uniflood, 300W even illumination cosec 10o lens (useable 20o) & 730nm filter	UF300/10/730	
	Uniflood, 300W even illumination cosec 30o lens (useable 45o) & 730nm filter	UF300/30/730	
	Uniflood, 300W flood, wide angle 60 deg. lens with 730nm filter	UF300/F/730	
	Uniflood, 300W spot, precise 6 deg. lens with 730nm filter	UF300/S/730	


















PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
11. IR LIGHTING AND SOLUTIONS			
	Uniflood, 500W even illumination cosec 10o lens (useable 20o) & 730nm filter	UF500/10/730	
	Uniflood, 500W even illumination cosec 30o lens (useable 45o) & 730nm filter	UF500/30/730	
	Uniflood, 500W flood, wide angle 60 deg. lens with 730nm filter	UF500/F/730	
	HIGH POWER IR ILLUMINATORS - 500 WATT COMPLETE WITH BULB IR illuminator 500W-Narr beam/photocell/715 Filter. Dennard 2020 Lamps are now supplied with a fitted Stoneguard as	DM/2020-500N715	
	HIGH POWER IR ILLUMINATORS - 500 WATT COMPLETE WITH BULB IR illuminator 500W-Med. beam/photocell/715 Filter. Dennard 2020 Lamps are now supplied with a fitted Stoneguard as	DM/2020-500M715	
	Uniflood, solid-state LED 30o (useable 45o) 850nm, up to 50m range incl. PSU, >50,000 hrs	UFLED/30/850	
	Uniflood, solid-state LED 20o 850nm, up to 85m range incl. PSU, >50,000 hrs	UFLED/20/850	
	Uniflood, solid-state LED 60o 850nm, up to 25m range incl. PSU, >50,000 hrs	UFLED/60/850	
	Long life, high power, solid state LED illuminator 30 degree, 850nm, incl. PSU	SUPERLED/30/850	
	Long life, high power, solid state LED illuminator 20 degree, 850nm, incl. PSU	SUPERLED/20/850	
	Long life, high power, solid state LED illuminator 60 degree, 850nm, incl. PSU	SUPERLED/60/850	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 7m, solid-state, mono, inc. PSU & bracketry	REG LED 07	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 12m, solid-state, mono, inc. PSU & bracketry	REG LED 12	




PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number
--------	-------------	-----------------

11. IR LIGHTING AND SOLUTIONS

	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 7m, solid-state, mono, wedge housing, inc. PSU & bracketry	REG WDG 07	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 12m, mono, inc. PSU & bracketry	REG 12	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 18m, mono, inc. PSU & bracketry	REG 18	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 25m, mono, inc. PSU & bracketry	REG 25	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 35m, mono, inc. PSU & bracketry	REG 35	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 12m, mono & colour, inc. PSU & bracketry	REG Dual 12	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 18m, mono & colour, inc. PSU & bracketry	REG Dual 18	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 35m, mono & colour, inc. PSU & bracketry	REG Dual 25	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 25m, mono & colour, inc. PSU & bracketry	REG Dual 35	

IR LIGHTING EQUIPMENT ACCESSORIES

	Medium bulb for 880 (50W) IR illuminator	DM/720110
	Narrow bulb for 880 (50W) IR illuminator	DM/720109
	Replacement bulb for 880 range of Microlights	DM/720114

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
11. IR LIGHTING AND SOLUTIONS			
	Replacement bulb for 880 range of Microlights	DM/720113	
	Narrow bulb for 300W IR illuminator	DM/886N	
	Medium bulb for 300W IR illuminator	DM/886M	
	Wide bulb for 300W IR illuminator	DM/886W	
	Dual IR lamp fitting for use with 424 swivel mount	DM/885/45	
	Bracket to mount 2020 IR Lamp to a wall	DM/2020/28	
	Narrow bulb for 2020 (500W) IR illuminator	DM/HX502	
	Medium bulb for 2020 (500W) IR illuminator	DM/HX504	
	Narrow bulb for 890(500W) IR illuminator-with seal	DM/891N	
	Medium bulb for 890(500W) IR illuminator-with seal	DM/891M	
	R/Angle Bracket to Mt 2010 & 2020 Together	DM/2010/51	
	Light duty bracket with single IR lamp fitting	DM/317IRS	
	Light duty bracket with dual IR lamp fitting	DM/317IRD	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
11. IR LIGHTING AND SOLUTIONS			
	Light duty bracket with single IR lamp fitting	DM/428IRS	
	Light duty bracket with dual IR lamp fitting	DM/428IRD	
	Medium duty bracket with single IR lamp fitting	DM/642IRS	
	Medium duty bracket with dual IR lamp fitting	DM/642IRD	
	Single universal bracket for top mount P/T heads	SB5170	
	Replacement bulb kit for miniflood 100 series	MINILL	
	Dual universal bracket for top mount P/T heads	DB5170	
	Replacement bulb kit for uniflood 300 series	UNILL	
	Replacement bulb kit for uniflood 500 series	UNIPF	
	Bulb kit for Derwent uniflood (old type)	AF200	
	Miniflood 100 single PSU incl. photocell	PSU-MINISS	
	Uniflood 300 series PSU single lamp incl. photocell, on/off telem volt free contact	PSU3SS	
	Uniflood 500 series PSU single lamp incl. photocell and 12VDC aux. output, on/off telem volt free contact	PSU5SS	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
11. IR LIGHTING AND SOLUTIONS			
	Wall mount bracket galvanised, mounting up to 4 IR lamps allowing for 180 degree illumination	MBW180	
	Corner mount bracket galvanised, mounting up to 6 IR lamps allowing for 270 degree illumination	MCB270	
	Miniflood 100 twin PSU incl. photocell and telemetry	PSU-MINIST	
	Uniflood 300 series PSU dual lamp incl. photocell, on/off telem volt free contact	PSU3ST	
	Uniflood 500 series PSU dual lamp incl. photocell and 12VDC aux. output, on/off telem volt free contact	PSU5ST	
	Pole mount bracket clamping dia 139-273mm, galvanised, mounting up to 8 IR lamps allowing for 360 degree illumination	MBP360	
	NUMBER PLATE RECOGNITION - CAMERA AND IR LAMP Number plate capture to 12m, solid-state, mono, wedge housing, inc. PSU & bracketry	REG WDG 12	
IR DETECTORS AND EQUIPMENT ACCESSORIES			
	PRO18 volumetric outdoor passive infrared detector 21m (includes bracket). 50 degree coverage.	201885	
	PRO18W volumetric passive infrared detector 21m (includes bracket). 90 degree coverage.	201313	
	PRO18WH volumetric passive infrared detector 27m, silicon window, heater (includes bracket). 90 degree coverage.	201727	
	PRO45 curtain passive infrared detector 50m (includes bracket)	201312	
	PRO45H curtain passive infrared detector 60m, silicon window, heater (includes bracket)	201736	

PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part Number	
11. IR LIGHTING AND SOLUTIONS			
ADPRO®	PRO45D curtain passive infrared detector 50m, directional curtain (includes bracket)	201735	
ADPRO®	PRO85 long range volumetric passive infrared detector 70m (includes bracket).	201779	
ADPRO®	PRO85H long range volumetric passive infrared detector 70m silicon window, heater (includes bracket).	201780	
ADPRO®	PRO100 curtain passive infrared detector 100m (includes bracket)	225100	
ADPRO®	PRO100H curtain passive infrared detector 100m, silicon window, heater (includes bracket)	201738	
ADPRO®	ADPRO PRO150D, curtain passive infrared detector 150m, analog, silicon window, heater (excludes bracket)	220149	
ADPRO®	ADPRO PRO250A, curtain passive infrared detector 150m, digital, premium performance, silicon window, heater (excludes bracket)	220182	
ADPRO®	ADPRO AD851, alignment telescope	242600	
ADPRO®	ADPRO AD652, mounting bracket for PRO75A & PRO150D	220102	
ADPRO®	ADPRO AD653, mounting bracket for PRO250A, inc. clamp	220103	
ADPRO®	ADPRO IT44, tester for PRO150/250 detectors	242991	