







Sound & Communications














PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
2. SPEAKERS - 70V / 100V			
Ceiling Mount Speakers			
Millbank	DL06-165/T 6W 100V line, flush mount ceiling speaker. Taps at 6, 3, 1.5W. Response 100Hz - 16kHz. SPL 99.9dB (1W/1m) General purpose PA use. Colour : RAL 9010.	M7-DL06-165T	
NEXT TWO	Quickfit FT Ceiling speaker, 10w, 150mm dia c/w line transformer and fire dome General purpose PA use	MC-QFIT-FT	
NEXT TWO	MC-5FT PT8 Ceiling speaker, 10w, 125mm dia c/w line transformer and fire dome For voice alarm use	MC-5FT-PT8	
NEXT TWO	MC-6FT PT8 Ceiling speaker, 10w, 150mm dia c/w line transformer and fire dome For voice alarm use	MC-6FT-PT8	
NEXT TWO	MA-6 FT Ceiling speaker, 6w, 150mmdia, c/w transformer and fire dome, IP55 General purpose PA use	MC-MA-6FT	
C-Tec	VA420 5 inch 6 watt ceiling speaker c/w steel fire dome and ceramic terminal block For voice alarm use	CT-VA420	
C-Tec	VA430 6 watt round wall/ceiling speaker in metal cabinet c/w ceramic terminal block For voice alarm use.	CT-VA430	
NEXT TWO	MC-8FT PT8 Ceiling speaker, 10w, 200mm dia c/w line transformer and fire dome For voice alarm use	MC-8FT-PT8	
C-Tec	VA421 6.5 inch 6 watt ceiling speaker c/w steel fire dome and ceramic terminal block For voice alarm use.	CT-VA421	
C-Tec	VA429 8 inch 10 watt ceiling speaker c/w steel fire dome and ceramic terminal block For voice alarm use.	CT-VA429	
Pendant Speakers			
NEXT TWO	SPH-20 Suspended sphere (ABS) 20w, c/w transformer, For general PA use.	MC-SPH-20	
C-Tec	VA428 30 watt spherical suspension speaker, 5 metre lead c/w ceramic terminal block For voice alarm use.	CT-VA428	

Sound & Communications







PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
On-Surface Mount Speakers			
C-Tec	VA422 6 watt wall mounting speaker in metal cabinet c/w ceramic terminal block For voice alarm use.	CT-VA422	
Cabinet / Book Shelf Speakers			
Millbank	WA06-165/T 6W 100V line, wall cabinet speaker. Taps 6, 3, 1.5W. Response 125Hz - 15kHz. SPL 97.5dB (1W/1m). General purpose PA use. Colour white	M7-WA06-165T	
NEXT TWO	CAB-6 Cabinet speaker (MDF), 6w, c/w transformer General purpose PA use only	MC-CAB6	
NEXT TWO	SAFE V6 PT8 Cabinet speaker (steel), 10w, c/w transformer For use in voice alarm systems	MC-S-V6-PT8	
NEXT TWO	WS-10 PT8 Cabinet speaker (FR ABS), 10W, c/w transformer For voice alarm or general purpose PA	MC-WS-10-PT8	
NEXT TWO	SUB-500 Cabinet speaker (FR ABS), 30W, c/w transformer and swivel mounting For general purpose PA	MC-SUB-500	
Indoor / Outdoor Speakers			
Millbank	DA-P 20-130/T 20W 100V line, ABS projector speaker. Taps 20, 15, 10.5W. Response 150Hz - 20kHz. SPL 99.5dB (1W/1m) General purpose PA use. Colour RAL 9010.	M7-DA-P20T	
Millbank	TS-C 10-300/T 10W 100V line, 300mm column speaker. Taps 10, 6, 3, 1.5W. Response 150Hz - 18kHz. SPL 93.3db (1W/1m) General purpose PA use. Colour RAL 9006.	M7-TS-C10T/3	
Millbank	DA-S 20-130T 20W 100V line, Steel projector speaker. Taps 20, 15, 10.5W. Response 150Hz - 20kHz. SPL 99.5dB (1W/1m) General purpose PA use. Colour RAL 9010.	M7-DA-S20T	
Millbank	TS-C 30-700/T 30W 100V line, 700mm column speaker. Taps 30, 15, 7.5W. Response 150Hz - 13kHz. SPL 92.9dB (1W/1m) General purpose PA use. Colour RAL 9006.	M7-TS-C30T/7	
C-Tec	VA427 20 watt metal column speaker Surface mounted inc bracket c/w ceramic terminal block For voice alarm use.	CT-VA427	
NEXT TWO	CM-20 PT8 Column speaker (Aluminium), 20w, c/w transformer and mounting bracket For voice alarm or PA use	MC-CM-20-PT8	
NEXT TWO	CM-40 PT8 Column speaker (Aluminium), 40w, c/w transformer and maounting bracket For voice alarm or PA use	MC-CM-40-PT8	

Sound & Communications







PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
Projection Speakers			
NEXT TWO	MSP-20 Projector speaker (Aluminium), 30w, c/w transformer For general PA use	MC-MSP-20	
NEXT TWO	PAC-15 PT8 Projector speaker (Aluminium), 15w, c/w transformer For voice alarm use	MC-PAC-15PT8	
C-Tec	VA425 12 watt IP55 cylindrical sound projector speaker Surface mounted inc bracket For voice alarm use.	CT-VA425	
C-Tec	VA426 30 watt IP54 music quality projection speaker Surface mounted inc bracket For voice alarm use.	CT-VA426	
Bi-Directional Speakers			
NEXT TWO	RAC-15 PT8 Projector speaker,bi-directional (Aluminium), 15w, c/w transformer For voice alarm use	MC-RAC-15PT8	
NEXT TWO	SAFE BIDI 6 PT8 Cabinet speaker (steel) 10w, bi-directional, c/w transformer - For use in voice alarm systems	MC-S-BI6-PT8	
C-Tec	VA423 8 watt wall mounting bi-directional speaker in metal cabinet c/w ceramic terminal block For voice alarm use.	CT-VA423	

Sound & Communications



PLEASE CHECK IF PRODUCTS ARE AVAILABLE IN YOUR COUNTRY BEFORE YOU PLACE YOUR ORDERS

Vendor	Description	ADI Part number	
Horn Speakers			
<i>Millbank</i>	DK10/T 10W 100V line, horn speaker. Taps 10, 5, 2.5, 1.25W. Response 400Hz - 10kHz. SPL 102.4dB (1W/1m). General purpose PA use. Colour grey.	M7-DK10T	
<i>NEXT TWO</i>	MR-10 PT8 Horn speaker (ABS), 10w, c/w transformer For voice alarm use.	MC-MR-10-PT8	
<i>NEXT TWO</i>	MR-15 PT8 Horn speaker (ABS), 15w, c/w transformer For voice alarm use.	MC-MR-15-PT8	
<i>Millbank</i>	DK30/T 30W 100V line, horn speaker. Taps 10, 5, 2.5, 1.25W. Response 300Hz - 6kHz. SPL 110.1dB (1W/1m). General purpose PA use. Colour grey.	M7-DK30T	
<i>NEXT TWO</i>	MR-30 PT8 Horn speaker (ABS), 30w, c/w transformer For voice alarm use.	MC-MR-30-PT8	
<i>C-Tec</i>	VA424 30 watt IP66 plastic horn speaker For voice alarm use / General purpose PA use.	CT-VA424	
Accessories			
<i>C-Tec</i>	VA490 Ceramic terminal block / thermal fuse assembly Needs adaptable box	CT-VA490	