



CONVENTIONAL SYSTEMS

For orders Call: 0860 22 55 23

Vendor Description

CONTROL PANELS

C-Tec Series

F0089	Economy 2 zone CFP Fire Alarm Control panel Economy 2 zone CFP Fire Alarm Control panel, c/w key switch, 3/4 wire, EN54 pts 2 and 4, Branded		
F0092	Economy 4 zone CFP Fire Alarm Control panel Economy 4 zone CFP Fire Alarm Control panel, c/w key switch, 3/4 wire, EN54 pts 2 and 4, Branded	MFP RANGE	C-TEC CFP
F0094	Economy 8 zone CFP Fire Alarm Control panel Economy 8 zone CFP Fire Alarm Control panel, c/w key switch, 3/4 wire, EN54 pts 2 and 4, Branded		
F0087	Economy 28 zone MFP Fire Alarm Control panel Economy 28 zone MFP Fire Alarm Control panel, c/w key switch, 3/4 wire, EN54 pts 2 and 4, Branded		

FIRESTAR EXTINGUISHANT

EXTINGUISHANT

Notifier Series

F0090	FS-ECP-2 Single area 2 zone extinguishing control panel compliant with BS5839 pt 1 1988 and 4, BS7273 pt 1 1990, complete with monitored first & second stage sounder circuits, manual release, adjustable delay, monitored pressure and hold switch connections. Space for up to 7Ah batteries. H:290mm W:365 D:88mm.
F0013	FS-FLU/MS/M Five lamp extinguish ant status unit with mode select and manual release. Auto/Manual/Disabled/Discharge imminent/Discharged.
F0014	FS-HO Extinguish ant release "HOLD OFF" button.
F0015	FS-TLU Three lamp extinguish ant status unit Auto/Manual/Disabled.
F0016	FS-TLU/MS Three lamp extinguish ant status unit with mode select Auto/Manual/Disabled.

Vendor

Description

PRODUCT LITERATURE**Notifier Series**

F0008	FS-ECP-2 Installation & Commissioning Manual.Can be downloaded F.O.C. from the distributor area of the Notifier Web site.
--------------	---

SPARES**Notifier Series**

F0010	ECP-2-MB Replacement main PCB for ECP-2
F0012	ECP-2-TX Replacement transformer for ECP-2
F0009	ECP-2-KS Replacement 3 way key-switch for ECP-2
F0011	ECP-2-SK Replacement key set for ECP-2

ECO 1000 CONVENTIONAL DETECTORS**System Sensor Series**

F0078	Optical conventional detector Optical conventional detector
F0083	Rate of rise thermal A1R conventional detector Rate of rise thermal A1R conventional detector.
F0084	Fixed temperature thermal A2 conventional detector Fixed temperature thermal A2 conventional detector.
F0082	Optical thermal multi criteria conventional detector Optical thermal multi criteria conventional detector.



OPTICAL CONVENTIONAL DETECTOR



OPTICAL THERMAL MULTI CRITERIA CONVENTIONAL DETECTOR

ECO 1000 CONVENTIONAL DETECTOR BASES**System Sensor Series**

F0039	Standard detector mounting base Standard detector mounting base.
F0044	Detector mounting base fitted with Scotty diode Detector mounting base fitted with Scotty diode.
F0040	Detector mounting base fitted with 470 Ohm resistor Detector mounting base fitted with 470 Ohm resistor.
F0041	Detector mounting base fitted with 12V latching relay Detector mounting base fitted with 12V latching relay.
F0042	Detector mounting base fitted with 12V non-latching relay Detector mounting base fitted with 12V non-latching relay.
F0043	Detector mounting base fitted with 24V latching relay Detector mounting base fitted with 24V latching relay.

Vendor	Description
ECO 1000 DETECTOR ACCESSORIES	
System Sensor Series	
F0208	Remote test unit Remote test unit for ECO 1000 series
400 SERIES DUCT DETECTORS	
System Sensor Series	
F0061	Conventional duct detector housing Conventional duct detector housing, Order the correct size air sampling tube (ST-xx) and detector separately.
F0062	Conventional duct detector housing 4 wires Conventional duct detector housing 4 wires 400S, Honeywell
400 SERIES CONVENTIONAL PLUG-IN	
System Sensor Series	
F0085	Intrinsically safe thermal rate of rise detector Intrinsically safe thermal rate of rise detector. BASEEFA / ATEX approved. Base to be ordered separately.
F0038	Detector mounting base Detector mounting base. For conventional PhD and I.S. detectors.
BEAM SMOKE DETECTORS	
System Sensor Series	
F0059	Conventional reflective IR beam detector Conventional reflective IR beam detector, complete with reflector for up to 70 Meters. Use BEAM-LRK for 70 to 100 Meters.
F0055	Conventional reflective IR beam detector Conventional reflective IR beam detector, complete with reflector for up to 70 Meters. Use BEAM-LRK for 70 to 100 Meters. Unit supplied with servo test facility.
F0056	Long range reflector kit for 70 to 100 meters Long range reflector kit for 70 to 100 meters.
BEAM DETECTOR ACCESSORIES	
System Sensor Series	
F0057	Multi Mount Kit for IR reflective beam Multi Mount Kit for IR reflective beam. Provides ceiling and wall mount swivel brackets. Note: requires BEAM-SMK.
F0058	Surface Mount Kit for IR reflective beam Surface Mount Kit for IR reflective beam. Allows direct surface cable entry.
ST-1.5	1.5ft Air sampling tube 1.5ft (45cm) air sampling tube for use with the DH400 & DH500 series duct detectors.
F0019	3ft Air sampling tube 3ft (90cm) air sampling tube for use with the DH400 & DH500 series duct detectors.
F0020	5ft Air sampling tube 5ft (150cm) air sampling tube for use with the DH400 & DH500 series duct detectors.
F0018	10ft Air sampling tube 10ft (300cm) air sampling tube for use with the DH400 & DH500 series duct detectors.

Vendor

Description

SMOKE TESTERS**NoClimb Series**

F0200	Chekkit 05 handheld Smoke tester 35ml For testing of smoke detectors non flammable
F0199	Chekkit 01 handheld Smoke tester 150ml For testing of smoke detectors non flammable
F0205	Solo A3 Smoke tester 250ml For testing of smoke detectors non flammable
F0207	Solo C3 CO tester 4 litres For testing for CO fire detectors
F0206	Solo A7 Smoke cleaner 250ml For cleaning of smoke detectors non flammable
F0202	Solo 810 Test kit reach 2.5 meters 1 x Solo 101 Fibreglass Extension Pole - 1.13m 1 x Solo 330 Aerosol Smoke Dispenser
F0201	Solo 808 Test kit reach 4 meters 1 x Solo 108 Fibreglass Extension Pole 2.5 metres 1 x Solo 330 Aerosol Smoke Dispenser
F0203	Solo 811 Test kit reach 6 meters 1 x Solo 100 Fibreglass Telescopic Extension Pole 4.5 metres 1 x Solo 200 Universal Removal Tool 1 x Solo 330 Aerosol Smoke Dispenser 1 x Solo 610 Protective Carrying / Storage Bag
F0204	Solo 812 Test kit reach 8 meters 1 x Solo 100 Fibreglass Telescopic Extension Pole 4.5 metres 2 x Solo 101 Fibreglass Extension Pole 1.13m 1 x Solo 200 Universal Removal Tool 1 x Solo 330 Aerosol Smoke Dispenser 1 x Solo 610 Protective Carrying / Storage Bag

**SOLO A7 SMOKE TESTER 250ML****CONVENTIONAL CALL POINTS****CONVENTIONAL MANUAL CALL POINTS****Kac Series**

F0046	Flush call point with 470 Ohm resistor Flush call point with 470 Ohm resistor and N.O. contact. Complete with glass.
F0047	Surface call point with 470 Ohm resistor Surface call point with 470 Ohm resistor and N.O. contact. Complete with glass.
PS200	Transparent Protective Hinged Cover Transparent Protective Hinged Cover
P 056	Hinged Cover Seal For MCP Range Hinged Cover Seal For MCP Range

**SURFACE CALL POINT WITH 470 OHM RESISTOR**